

# A TIRE FOR EVERY ROAD.

## 2018 NEXEN TIRE PRICE GUIDE



### HIGH PERFORMANCE

N'FERA SUR4G .....	42
N'FERA SU1 .....	43
N'FERA AU7 .....	45

### PASSENGER

N5000 PLUS .....	47
N'PRIZ AH8 .....	49
ARIA AH7.....	51
N'PRIZ AH5 .....	52
SB-802 .....	53

### SUV/LIGHT TRUCK

ROADIAN HP .....	54
N'FERA RU5 .....	55
ROADIAN HTX RH5 .....	56
ROADIAN AT PRO RA8 .....	58
<b>NEW</b> ROADIAN MTX .....	60
ROADIAN MT .....	62
ROADIAN CT8 HL .....	63
ROADIAN CT8 .....	64

### WINTER

<b>NEW</b> WINGUARD SPORT 2 .....	65
<b>NEW</b> WINGUARD ICE PLUS .....	67
WINGUARD ICE SUV .....	69
WINGUARD WINSPIKE .....	70
EUROWIN .....	72

### OEM

ORIGINAL EQUIPMENT 2018 .....	73
-------------------------------	----

### WARRANTY

NEXEN TOTAL COVERAGE WARRANTY .....	74
-------------------------------------	----



# N'FERA SUR4G

## EXTREME ULTRA HIGH PERFORMANCE

Built to perform under the most aggressive driving conditions, this extreme UHP tire is at the top of the class in braking and handling performance. Ideal use is for street sport applications.



### WARRANTY

Mileage Warranty: N/A  
Road Hazard: N/A  
Roadside Assistance: 36 months

### PATTERN CODE: SUR4G

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
15717		225/45ZR15		87	W	4	51	1,201	-	7.5	7.0-8.5	8.9	23.0	9.0	200	A	A	Black	\$130.10
15718		205/55ZR16		91	W	4	51	1,356	-	6.5	5.5-7.5	8.4	24.9	7.5	200	A	A	Black	\$125.22
15719		225/50ZR16		92	W	4	51	1,389	-	7.0	6.0-8.0	9.2	24.9	9.0	200	A	A	Black	\$133.25
15720		215/45ZR17		87	Y	4	51	1,201	-	7.0	7.0-8.0	8.4	24.6	7.5	200	A	A	Black	\$138.15
15721		225/45ZR17		91	Y	4	51	1,356	-	7.5	7.0-8.5	8.9	25.0	7.5	200	A	A	Black	\$144.22
15722		235/45ZR17		94	Y	4	51	1,447	-	8.0	7.5-9.0	9.3	25.4	9.0	200	A	A	Black	\$155.45
15723		245/40ZR17		91	Y	4	51	1,356	-	8.5	8.0-9.5	9.8	24.7	9.0	200	A	A	Black	\$165.45
15724		255/40ZR17		94	Y	4	51	1,447	-	9.0	8.5-10.0	10.2	25.0	9.0	200	A	A	Black	\$169.52
15725		225/40ZR18		88	Y	4	51	1,235	-	8.0	7.5-9.0	9.1	25.1	9.0	200	A	A	Black	\$185.32
15726		225/45ZR18		91	Y	4	51	1,356	-	7.5	7.0-8.5	8.9	25.9	9.0	200	A	A	Black	\$185.40
15727		235/40ZR18		91	Y	4	51	1,356	-	8.5	8.0-9.5	9.5	25.4	7.5	200	A	A	Black	\$204.45
15728		245/40ZR18		93	Y	4	51	1,433	-	8.5	8.0-9.5	9.8	25.7	7.5	200	A	A	Black	\$213.26
15729		255/35ZR18		90	Y	4	51	1,323	-	9.0	8.5-10.0	10.2	25.0	9.0	200	A	A	Black	\$250.32
15736		265/35ZR18		93	Y	4	51	1,433	-	9.5	9.0-10.5	10.7	25.3	7.5	200	A	A	Black	\$252.32
15621		275/40ZR18		99	Y	4	51	1,709	-	9.5	9.0-11.0	10.9	26.7	9.0	200	A	A	Black	\$163.52
15730		275/35ZR18		95	Y	4	51	1,521	-	9.5	9.0-11.0	10.9	25.6	9.0	200	A	A	Black	\$266.40
15731		225/40ZR19		89	Y	4	51	1,279	-	8.0	7.5-9.0	9.1	26.1	7.5	200	A	A	Black	\$246.20
15732		235/35ZR19		87	Y	4	51	1,201	-	8.5	8.0-9.5	9.5	25.5	7.5	200	A	A	Black	\$263.45
15733		245/40ZR19		94	Y	4	51	1,477	-	8.5	8.0-9.5	9.8	26.7	7.5	200	A	A	Black	\$235.26
15734		275/35ZR19		96	Y	4	51	1,565	-	9.5	9.0-11.0	10.9	26.6	9.0	200	A	A	Black	\$318.80

Technical Data can be changed without further notice.

### PERFORMANCE RATINGS

BRAKING  
10

COMFORT  
5

FUEL EFFICIENCY  
5

HANDLING  
10

WEAR LIFE  
4



# N'FERA SU1

## ULTRA HIGH PERFORMANCE SUMMER

The N'Fera SU1 has three main grooves and a semi groove to maximize wet driving performance and enhance handling. The dry grip technology boosts handling and braking performance, while an optimum surface split siping design improves wet/dry traction performance. An equally balanced design and enhanced block rigidity disperse stress evenly during high-speed cornering, boosting cornering and steering stability.



### WARRANTY

Mileage Warranty: 25,000 miles  
Road Hazard: First 2/32" or 1 year  
Roadside Assistance: 36 months

### PATTERN CODE: SU1

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
12591		195/45ZR15		78	W	4	44	937	-	6.5	6.0-7.5	7.7	21.9	9.5	300	AA	A	Black	\$80.57
13416		195/45ZR16	XL	84	W	4	50	1,102	-	6.5	6.0-7.5	7.7	22.9	9.5	300	AA	A	Black	\$94.85
12729		205/40ZR16		79	W	4	51	963	-	7.5	7.0-8.0	8.3	23.2	9.5	300	AA	A	Black	\$91.49
12303		205/45ZR16	XL	87	W	4	50	1,201	-	7.0	6.5-7.5	8.1	23.2	9.5	300	AA	A	Black	\$98.03
12358		215/55ZR16	XL	97	W	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	9.5	300	AA	A	Black	\$105.62
12333		225/50ZR16	XL	96	W	4	50	1,565	-	7.0	6.0-8.0	9.2	24.9	9.5	300	AA	A	Black	\$106.69
12346		205/40ZR17	XL	84	W	4	50	1,102	-	7.5	7.0-8.0	8.3	23.5	9.5	300	AA	A	Black	\$81.10
13053		205/50ZR17	XL	93	W	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	9.5	300	AA	A	Black	\$113.25
12349		215/40ZR17	XL	87	W	4	50	1,201	-	7.5	7.0-8.5	8.6	23.8	9.5	300	AA	A	Black	\$104.22
12351		215/45ZR17	XL	91	W	4	50	1,356	-	7.0	7.0-8.0	8.4	24.6	9.5	300	AA	A	Black	\$100.44
12300		225/45ZR17	XL	94	Y	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	9.5	300	AA	A	Black	\$109.30
12311		235/45ZR17	XL	97	W	4	50	1,609	-	8.0	7.5-9.0	9.3	25.4	9.5	300	AA	A	Black	\$117.53
12722		245/40ZR17	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.8	24.7	9.5	300	AA	A	Black	\$116.12
12731		255/40ZR17		94	W	4	51	1,477	-	9.0	8.5-10.0	10.2	25.0	9.5	300	AA	A	Black	\$128.84
14112		275/40ZR17		98	W	4	51	1,653	-	9.5	9.0-10.5	10.9	25.7	9.5	300	AA	A	Black	\$139.36
12348		215/35ZR18	XL	84	Y	4	50	1,102	-	7.5	7.0-8.5	8.6	23.9	9.5	300	AA	A	Black	\$129.32
12350		215/40ZR18	XL	89	Y	4	50	1,279	-	7.5	7.0-8.0	8.6	24.8	9.5	300	AA	A	Black	\$131.91
14768		225/40ZR18	XL	92	Y	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	9.5	300	AA	A	Black	\$126.94
12332		225/45ZR18	XL	95	Y	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	9.5	300	AA	A	Black	\$130.62
12302		235/40ZR18	XL	95	Y	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	9.5	300	AA	A	Black	\$147.66

CONTINUED ON NEXT PAGE ...

### PERFORMANCE RATINGS

BRAKING  
10

COMFORT  
9

FUEL EFFICIENCY  
7

HANDLING  
10

WEAR LIFE  
7

**N'FERA SU1**

... CONTINUED FROM PREVIOUS PAGE

**PATTERN CODE: SU1**

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
12345		245/35ZR18	XL	92	Y	4	50	1,389	-	8.5	8.0-9.5	9.8	24.8	9.5	300	AA	A	Black	\$141.47
12312		245/40ZR18	XL	97	Y	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	9.5	300	AA	A	Black	\$140.50
12726		245/45ZR18	XL	100	Y	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	9.5	300	AA	A	Black	\$144.34
12347		255/35ZR18	XL	94	Y	4	50	1,477	-	9.0	8.5-10.0	10.2	25.0	9.5	300	AA	A	Black	\$164.32
12592		255/40ZR18	XL	99	Y	4	50	1,709	-	9.0	8.5-10.0	10.2	26.0	9.5	300	AA	A	Black	\$162.04
12734		255/45ZR18	XL	103	Y	4	50	1,929	-	8.5	8.0-9.5	10.0	27.0	9.5	300	AA	A	Black	\$171.64
13516		265/35ZR18	XL	97	Y	4	50	1,609	-	9.5	9.0-10.5	10.7	25.3	9.5	300	AA	A	Black	\$180.53
13517		275/35ZR18	XL	99	W	4	50	1,709	-	9.5	9.0-11.0	10.9	25.6	9.5	300	AA	A	Black	\$189.56
12331		225/35ZR19	XL	88	Y	4	50	1,235	-	8.0	7.5-9.0	9.1	25.2	9.5	300	AA	A	Black	\$148.81
14121		225/40ZR19	XL	93	Y	4	50	1,433	-	8.0	7.5-9.0	9.1	26.1	9.5	300	AA	A	Black	\$166.99
14099		225/45ZR19	XL	96	W	4	50	1,565	-	7.5	7.0-8.5	8.9	27.0	9.5	300	AA	A	Black	\$165.83
12315		235/35ZR19	XL	91	Y	4	50	1,356	-	8.5	8.0-9.5	9.5	25.5	9.5	300	AA	A	Black	\$153.55
13514		245/35ZR19	XL	93	Y	4	50	1,433	-	8.5	8.0-9.5	9.8	25.8	9.5	300	AA	A	Black	\$157.09
12723		245/40ZR19	XL	98	Y	4	50	1,653	-	8.5	8.0-9.5	9.8	26.7	9.5	300	AA	A	Black	\$181.82
12584		245/45ZR19	XL	102	Y	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	9.5	300	AA	A	Black	\$177.91
14108		255/30ZR19	XL	91	Y	4	50	1,356	-	9.0	8.5-9.5	10.2	25.1	9.5	300	AA	A	Black	\$168.57
12338		255/35ZR19	XL	96	W	4	50	1,565	-	9.0	8.5-10.0	10.2	26.0	9.5	300	AA	A	Black	\$173.92
13519		255/40ZR19	XL	100	Y	4	50	1,764	-	9.0	8.5-10.0	10.2	27.0	9.5	300	AA	A	Black	\$183.23
13524		255/45ZR19	XL	104	Y	4	50	1,984	-	8.5	8.0-9.5	10.0	28.1	9.5	300	AA	A	Black	\$188.58
13512		265/30ZR19	XL	93	Y	4	50	1,433	-	9.5	9.0-10.0	10.7	25.3	9.5	300	AA	A	Black	\$189.84
12717		275/30ZR19	XL	96	Y	4	50	1,565	-	9.5	9.0-10.0	10.9	25.6	9.5	300	AA	A	Black	\$198.03
13518		275/35ZR19	XL	100	Y	4	50	1,764	-	9.5	9.0-11.0	10.9	26.6	9.5	300	AA	A	Black	\$231.21
13520		275/40ZR19	XL	105	Y	4	50	2,039	-	9.5	9.0-10.5	10.9	27.7	9.5	300	AA	A	Black	\$238.36
14639		225/30ZR20	XL	85	Y	4	50	1,135	-	8.0	8.0-8.0	9.1	25.4	9.0	300	AA	A	Black	\$123.28
14101		225/35ZR20	XL	90	Y	4	50	1,323	-	8.0	7.5-9.0	9.1	26.2	9.5	300	AA	A	Black	\$124.91
14758		235/30ZR20	XL	88	Y	4	50	1,235	-	8.5	8.5-8.5	9.5	25.6	10.0	300	AA	A	Black	\$177.23
13511		245/30ZR20	XL	90	Y	4	50	1,323	-	8.5	8.0-8.5	9.8	25.8	9.5	300	AA	A	Black	\$132.85
13515		245/35ZR20	XL	95	Y	4	50	1,521	-	8.5	8.0-9.5	9.8	26.8	9.5	300	AA	A	Black	\$126.52
14106		245/40ZR20	XL	99	Y	4	50	1,709	-	8.5	8.0-9.5	9.8	27.7	9.5	300	AA	A	Black	\$169.36
15090		245/45ZR20	XL	103	Y	4	50	1,929	-	8.0	7.5-9.0	9.6	28.7	9.0	300	AA	A	Black	\$184.62
14110		255/35ZR20	XL	97	Y	4	50	1,609	-	9.0	8.5-10.0	10.2	27.0	9.5	300	AA	A	Black	\$143.49
12716		275/30ZR20	XL	97	Y	4	50	1,609	-	9.5	9.0-10.0	10.9	26.5	9.5	300	AA	A	Black	\$196.13
14113		275/35ZR20	XL	102	Y	4	50	1,874	-	9.5	9.0-11.0	10.9	27.6	9.5	300	AA	A	Black	\$201.11
13513		285/30ZR20	XL	99	Y	4	50	1,709	-	10.0	9.5-10.5	11.4	26.8	9.5	300	AA	A	Black	\$218.36
14757		235/30ZR22	XL	90	Y	4	50	1,323	-	8.5	8.5-8.5	9.5	27.6	10.0	300	AA	A	Black	\$163.06
14647		245/30ZR22	XL	92	Y	4	50	1,389	-	8.5	8.0-8.5	9.8	27.8	9.0	300	AA	A	Black	\$150.96
14648		265/30ZR22	XL	97	Y	4	50	1,609	-	9.5	9.0-10.0	10.7	28.3	9.0	300	AA	A	Black	\$200.13
14646		295/25ZR22	XL	97	Y	4	50	1,609	-	10.5	10.0-11.0	11.9	27.8	9.0	300	AA	A	Black	\$267.25
14756		255/30ZR24	XL	97	Y	4	50	1,609	-	9.0	8.5-9.5	10.2	30.1	10.0	300	AA	A	Black	\$175.34
14754		275/25ZR24	XL	96	Y	4	50	1,565	-	10.0	10.0-10.5	11.1	29.4	10.0	300	AA	A	Black	\$217.74
14755		275/30ZR24	XL	101	Y	4	50	1,819	-	9.5	9.0-10.0	10.9	30.6	10.0	300	AA	A	Black	\$234.85

Technical Data can be changed without further notice.



**N'FERA AU7**

**ULTRA HIGH PERFORMANCE ALL SEASON**

N'Fera AU7 is designed for the discretionary driver of sports cars, luxury coupes, and performance sedans looking for superior traction in dry and wet conditions. The N'Fera AU7 stands out against the competition, especially in wet conditions.



**WARRANTY**

- Mileage Warranty: 50,000 miles
- Road Hazard: First 2/32" or 1 year
- Roadside Assistance: 36 months
- Free Trial: 45 days or 500 miles

**PATTERN CODE: AU7**

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
14208		205/55ZR16		91	W	4	51	1,356	-	6.5	5.5-7.5	8.4	24.9	9.0	500	AA	A	Black	\$99.88
15625		205/45ZR17		84	W	4	51	1,102	-	7.0	6.5-7.5	8.1	24.3	9.0	500	AA	A	Black	\$105.90
14404		205/50ZR17	XL	93	W	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	9.0	500	AA	A	Black	\$110.80
14403		215/45ZR17	XL	91	W	4	50	1,356	-	7.0	7.0-8.0	8.4	24.6	9.0	500	AA	A	Black	\$103.24
15227		215/50ZR17	XL	95	W	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	9.0	500	AA	A	Black	\$112.11
14401		215/55ZR17		94	W	4	51	1,477	-	7.0	6.0-7.5	8.9	26.3	9.0	500	AA	A	Black	\$111.06
15113		225/45ZR17	XL	94	W	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	9.0	500	AA	A	Black	\$107.18
14400		225/50ZR17	XL	98	W	4	50	1,653	-	7.0	6.0-8.0	9.2	25.9	9.0	500	AA	A	Black	\$112.34
14402		225/55ZR17		97	W	4	51	1,609	-	7.0	6.0-8.0	9.2	26.8	9.0	500	AA	A	Black	\$119.84
15228		235/45ZR17	XL	97	W	4	50	1,609	-	8.0	7.5-9.0	9.3	25.4	9.0	500	AA	A	Black	\$115.33
15626		235/55ZR17		99	W	4	51	1,709	-	7.5	6.5-8.5	9.6	27.2	9.0	500	AA	A	Black	\$111.08
14419		245/40ZR17		91	W	4	51	1,356	-	8.5	8.0-9.5	9.8	24.7	9.0	500	AA	A	Black	\$128.28
15229		245/45ZR17	XL	99	W	4	50	1,709	-	8.0	7.5-9.0	9.6	25.7	9.0	500	AA	A	Black	\$124.43
15627		215/40ZR18		85	W	4	51	1,135	-	7.5	7.0-8.0	8.6	24.8	9.0	500	AA	A	Black	\$123.30
14416		215/45ZR18		89	W	4	51	1,279	-	7.0	7.0-8.0	8.4	25.6	9.0	500	AA	A	Black	\$125.69
14422		225/40ZR18	XL	92	W	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	9.0	500	AA	A	Black	\$125.34
14412		225/45ZR18	XL	95	Y	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	9.0	500	AA	A	Black	\$130.63
14406		225/50ZR18	XL	99	W	4	50	1,709	-	7.0	6.0-8.0	9.2	26.9	9.0	500	AA	A	Black	\$126.71
15231		235/40ZR18	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	9.0	500	AA	A	Black	\$135.27
15230		235/45ZR18	XL	98	W	4	50	1,653	-	8.0	7.5-9.0	9.3	26.3	9.0	500	AA	A	Black	\$155.90
15114		235/50ZR18		97	W	4	51	1,609	-	7.5	6.5-8.5	9.6	27.3	9.0	500	AA	A	Black	\$152.80
14411		245/40ZR18	XL	97	W	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	9.0	500	AA	A	Black	\$138.75

CONTINUED ON NEXT PAGE ...

**PERFORMANCE RATINGS**

 <b>BRAKING</b> 10	 <b>COMFORT</b> 9	 <b>FUEL EFFICIENCY</b> 8	 <b>HANDLING</b> 9	 <b>WEAR LIFE</b> 8
--------------------------	-------------------------	---------------------------------	--------------------------	---------------------------



... CONTINUED FROM PREVIOUS PAGE

PATTERN CODE: AU7

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
14410		245/45ZR18	XL	100	W	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	9.0	500	AA	A	Black	\$144.77
15628		245/50ZR18		100	W	4	51	1,764	-	7.5	7.0-8.5	10.0	27.7	9.0	500	AA	A	Black	\$135.14
15232		255/35ZR18	XL	94	W	4	50	1,477	-	9.0	8.5-10.0	10.2	25.0	9.0	500	AA	A	Black	\$164.84
14421		255/40ZR18		95	Y	4	51	1,521	-	9.0	8.5-10.0	10.2	26.0	9.0	500	AA	A	Black	\$159.91
14414		255/45ZR18		99	W	4	51	1,709	-	8.5	8.0-9.5	10.0	27.0	9.0	500	AA	A	Black	\$149.23
15636		275/35ZR18		95	Y	4	51	1,521	-	9.5	9.0-11.0	10.9	25.6	9.0	500	AA	A	Black	\$181.09
14418		225/45ZR19	XL	96	W	4	50	1,565	-	7.5	7.0-8.5	8.9	27.0	9.0	500	AA	A	Black	\$158.28
15234		235/40ZR19	XL	96	W	4	50	1,565	-	8.5	8.0-9.5	9.5	26.4	9.0	500	AA	A	Black	\$174.65
15629		235/45ZR19		95	W	4	51	1,521	-	8.0	7.5-9.0	9.3	27.4	9.0	500	AA	A	Black	\$163.18
14420		245/40ZR19	XL	98	Y	4	50	1,653	-	8.5	8.0-9.5	9.8	26.7	9.0	500	AA	A	Black	\$182.36
14415		245/45ZR19	XL	102	W	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	9.0	500	AA	A	Black	\$178.47
15630		255/35ZR19	XL	96	Y	4	50	1,565	-	9.0	8.5-10.0	10.2	26.0	9.0	500	AA	A	Black	\$171.12
14423		255/40ZR19	XL	100	Y	4	50	1,764	-	9.0	8.5-10.0	10.2	27.0	9.0	500	AA	A	Black	\$183.79
15233		255/45ZR19		100	W	4	51	1,764	-	8.5	8.0-9.5	10.0	28.1	9.0	500	AA	A	Black	\$181.96
15631		275/35ZR19		96	Y	4	51	1,565	-	9.5	9.0-11.0	10.9	26.6	9.0	500	AA	A	Black	\$220.89
15633		275/40ZR19		101	Y	4	51	1,819	-	9.5	9.0-10.5	10.9	27.7	9.0	500	AA	A	Black	\$217.88
15637		225/35ZR20	XL	90	W	4	50	1,323	-	8.0	7.5-9.0	9.1	26.2	9.0	500	AA	A	Black	\$158.28
15638		245/35ZR20	XL	95	Y	4	50	1,521	-	8.5	8.0-9.5	9.8	26.8	9.0	500	AA	A	Black	\$163.03
15624		245/40ZR20	XL	99	Y	4	50	1,709	-	8.5	8.0-9.5	9.8	27.7	9.0	500	AA	A	Black	\$172.20
14413		245/45ZR20	XL	103	W	4	50	1,929	-	8.0	7.5-9.0	9.6	28.7	9.0	500	AA	A	Black	\$175.92
15634		255/35ZR20	XL	97	Y	4	50	1,609	-	9.0	8.5-10.0	10.2	27.0	9.0	500	AA	A	Black	\$137.77
15635		275/35ZR20	XL	102	Y	4	50	1,874	-	9.5	9.0-11.0	10.9	27.6	9.0	500	AA	A	Black	\$198.97

Technical Data can be changed without further notice.



# N5000 Plus

## GRAND TOURING ALL SEASON

The N5000 Plus incorporates a stiff block design, which enhances driving performance at high speeds while providing increased steering stability, with a dimple design that provides ample heat distribution to reduce the degree of fatigue and abnormal tread wear. The lateral groove design and uniform block distribution deliver a silent and comfortable ride, and the internal serration design reduces water flow in whirls when driving in rain, which improves stability and anti-hydroplaning performance.



### WARRANTY

**Mileage Warranty:** 65,000 miles  
**Road Hazard:** First 2/32" or 1 year  
**Roadside Assistance:** 36 months



PATTERN CODE: N5000 PLUS

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
15545		185/60R15		84	H	4	44	1,102	-	5.5	5.0-6.5	7.4	23.7	9.0	600	A	A	Black	TBA
15542		185/65R15		88	H	4	44	1,235	-	5.5	5.0-6.5	7.4	24.4	9.0	600	A	A	Black	TBA
15546		195/60R15		88	H	4	44	1,235	-	6.0	5.5-7.0	7.9	24.2	9.0	600	A	A	Black	TBA
15543		195/65R15		91	H	4	44	1,356	-	6.0	5.5-7.0	7.9	25.0	9.0	600	A	A	Black	TBA
15544		205/65R15		94	H	4	44	1,477	-	6.0	5.5-7.5	8.2	25.5	9.0	600	A	A	Black	TBA
15560		195/50R16		84	V	4	51	1,102	-	6.0	5.5-7.0	7.9	23.7	9.0	600	A	A	Black	TBA
15555		195/55R16		87	V	4	51	1,201	-	6.0	5.5-7.0	7.9	24.4	9.0	600	A	A	Black	TBA
15561		205/50R16		87	H	4	51	1,201	-	6.5	5.5-7.5	8.4	24.1	9.0	600	A	A	Black	TBA
15556		205/55R16		91	H	4	51	1,356	-	6.5	5.5-7.5	8.4	24.9	9.0	600	A	A	Black	TBA
15551		205/60R16		92	H	4	44	1,389	-	6.0	5.5-7.5	8.2	25.7	9.0	600	A	A	Black	TBA
15547		205/65R16		95	H	4	44	1,521	-	6.0	5.5-7.5	8.2	26.5	9.0	600	A	A	Black	TBA
15557		215/55R16	XL	97	H	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	9.0	600	A	A	Black	TBA
15552		215/60R16		95	H	4	44	1,521	-	6.5	6.0-7.5	8.7	26.1	9.0	600	A	A	Black	TBA
15548		215/65R16		98	H	4	44	1,653	-	6.5	6.0-7.5	8.7	27.0	9.0	600	A	A	Black	TBA
15559		225/55R16		95	H	4	51	1,521	-	7.0	6.0-8.0	9.2	25.7	9.0	600	A	A	Black	TBA
15553		225/60R16		98	H	4	44	1,653	-	6.5	6.0-8.0	9.0	26.6	9.0	600	A	A	Black	TBA
15549		225/65R16		100	H	4	44	1,764	-	6.5	6.0-8.0	9.0	27.5	9.0	600	A	A	Black	TBA
15554		235/60R16		100	H	4	44	1,764	-	7.0	6.5-8.5	9.4	27.1	9.0	600	A	A	Black	TBA
15550		235/65R16		103	H	4	44	1,929	-	7.0	6.5-8.5	9.4	28.0	9.0	600	A	A	Black	TBA
15578		205/40R17		80	H	4	51	992	-	7.5	7.0-8.0	8.3	23.5	9.0	600	A	A	Black	TBA
15573		205/45R17	XL	88	V	4	50	1,235	-	7.0	6.5-7.5	8.1	24.3	9.0	600	A	A	Black	TBA
15569		205/50R17	XL	93	V	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	9.0	600	A	A	Black	TBA
15574		215/45R17		87	H	4	51	1,201	-	7.0	7.0-8.0	8.4	24.6	9.0	600	A	A	Black	TBA

CONTINUED ON NEXT PAGE ...

PERFORMANCE RATINGS

**BRAKING**  
8

**COMFORT**  
9

**FUEL EFFICIENCY**  
8

**HANDLING**  
8

**WEAR LIFE**  
9

... CONTINUED FROM PREVIOUS PAGE

PATTERN CODE: N5000 PLUS

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
15570		215/50R17	XL	95	V	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	9.0	600	A	A	Black	TBA
15566		215/55R17		94	V	4	51	1,477	-	7.0	6.0-7.5	8.9	26.3	9.0	600	A	A	Black	TBA
15563		215/60R17		96	H	4	44	1,565	-	6.5	6.0-7.5	8.7	27.2	9.0	600	A	A	Black	TBA
15562		215/65R17		99	H	4	44	1,709	-	6.5	6.0-7.5	8.7	28.0	9.0	600	A	A	Black	TBA
15575		225/45R17		91	H	4	51	1,356	-	7.5	7.0-8.5	8.9	25.0	9.0	600	A	A	Black	TBA
15571		225/50R17		94	H	4	51	1,477	-	7.0	6.0-8.0	9.2	25.9	9.0	600	A	A	Black	TBA
15567		225/55R17	XL	101	V	4	50	1,819	-	7.0	6.0-8.0	9.2	26.8	9.0	600	A	A	Black	TBA
15564		225/60R17		99	H	4	44	1,709	-	6.5	6.0-8.0	9.0	27.6	9.0	600	A	A	Black	TBA
15576		235/45R17		94	H	4	51	1,477	-	8.0	7.5-9.0	9.3	25.4	9.0	600	A	A	Black	TBA
15572		235/50R17		96	H	4	51	1,565	-	7.5	6.5-8.5	9.6	26.3	9.0	600	A	A	Black	TBA
15568		235/55R17		99	H	4	51	1,709	-	7.5	6.5-8.5	9.6	27.2	9.0	600	A	A	Black	TBA
15565		235/60R17		102	H	4	44	1,874	-	7.0	6.5-8.5	9.4	28.1	9.0	600	A	A	Black	TBA
14469	P	245/40ZR17	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.8	24.7	9.0	560	A	A	Black	TBA
15577		245/45R17		95	H	4	51	1,521	-	8.0	7.5-9.0	9.6	25.7	9.0	600	A	A	Black	TBA
15586		215/45R18	XL	93	V	4	50	1,433	-	7.0	7.0-8.0	8.4	25.6	9.0	600	A	A	Black	TBA
15581		215/55R18		95	H	4	51	1,521	-	7.0	6.0-7.5	8.9	27.3	9.0	600	A	A	Black	TBA
15589		225/40R18		88	H	4	51	1,235	-	8.0	7.5-9.0	9.1	25.1	9.0	600	A	A	Black	TBA
14483	P	225/45ZR18	XL	95	W	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	9.0	560	A	A	Black	TBA
15583		225/50R18		95	H	4	51	1,521	-	7.0	6.0-8.0	9.2	26.9	9.0	600	A	A	Black	TBA
15582		225/55R18		98	H	4	51	1,653	-	7.0	6.0-8.0	9.2	27.8	9.0	600	A	A	Black	TBA
15579		225/60R18		100	H	4	44	1,764	-	6.5	6.0-8.0	9.0	28.6	9.0	600	A	A	Black	TBA
15590		235/40R18	XL	95	H	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	9.0	600	A	A	Black	TBA
15587		235/45R18		94	V	4	51	1,477	-	8.0	7.5-9.0	9.3	26.3	9.0	600	A	A	Black	TBA
15584		235/50R18		97	V	4	51	1,609	-	7.5	6.5-8.5	9.6	27.3	9.0	600	A	A	Black	TBA
15580		235/60R18		103	H	4	44	1,929	-	7.0	6.5-8.5	9.4	29.1	9.0	600	A	A	Black	TBA
15591		245/40R18	XL	97	H	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	9.0	600	A	A	Black	TBA
15588		245/45R18	XL	100	V	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	9.0	600	A	A	Black	TBA
15585		245/50R18	XL	104	V	4	50	1,984	-	7.5	7.0-8.5	10.0	27.7	9.0	600	A	A	Black	TBA
14471	P	255/35ZR18	XL	94	W	4	50	1,477	-	9.0	8.5-10.0	10.2	25.0	9.0	560	A	A	Black	TBA
14472	P	265/35ZR18	XL	97	W	4	50	1,609	-	9.5	9.0-10.5	10.7	25.3	9.0	560	A	A	Black	TBA
14473	P	275/35ZR18	XL	99	W	4	50	1,709	-	9.5	9.0-11.0	10.9	25.6	9.0	560	A	A	Black	TBA
14484	P	275/40ZR18	XL	103	W	4	50	1,929	-	9.5	9.0-10.5	10.9	26.7	9.0	560	A	A	Black	TBA
14485	P	235/35ZR19	XL	91	W	4	50	1,356	-	8.5	8.0-9.5	9.5	25.5	9.0	560	A	A	Black	TBA
15592		235/55R19		101	H	4	51	1,819	-	7.5	6.5-8.5	9.6	29.2	9.0	600	A	A	Black	TBA
14474	P	245/35ZR19	XL	93	W	4	50	1,433	-	8.5	8.0-9.5	9.8	25.8	9.0	560	A	A	Black	TBA
14486	P	245/40ZR19	XL	98	W	4	50	1,653	-	8.5	8.0-9.5	9.8	26.7	9.0	560	A	A	Black	TBA
14487	P	245/45ZR19	XL	102	W	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	9.0	560	A	A	Black	TBA
14482	P	255/40ZR19	XL	100	W	4	50	1,764	-	9.0	8.5-10.0	10.2	27.0	9.0	560	A	A	Black	TBA
14475		265/30ZR19	XL	93	W	4	50	1,433	-	9.5	9.0-10.0	10.7	25.3	9.0	560	A	A	Black	TBA
14470	P	275/30ZR19	XL	96	W	4	50	1,565	-	9.5	9.0-10.0	10.9	25.6	9.0	560	A	A	Black	TBA
14464	P	275/35ZR19	XL	100	W	4	50	1,764	-	9.5	9.0-11.0	10.9	26.6	9.0	560	A	A	Black	TBA
14477	P	275/40ZR19	XL	105	Y	4	50	2,039	-	9.5	9.0-10.5	10.9	27.7	9.0	560	A	A	Black	TBA
14478	P	225/35ZR20	XL	90	W	4	50	1,323	-	8.0	7.5-9.0	9.1	26.2	9.0	560	A	A	Black	TBA
14479		235/30ZR20	XL	88	W	4	50	1,235	-	8.5	8.5-8.5	9.5	25.6	9.0	560	A	A	Black	TBA
14480	P	245/35ZR20	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.8	26.8	9.0	560	A	A	Black	TBA
14481	P	245/40ZR20	XL	99	W	4	50	1,709	-	8.5	8.0-9.5	9.8	27.7	9.0	560	A	A	Black	TBA
14488	P	245/45ZR20	XL	103	W	4	50	1,929	-	8.0	7.5-9.0	9.6	28.7	9.0	560	A	A	Black	TBA
14465	P	255/35ZR20	XL	97	W	4	50	1,609	-	9.0	8.5-10.0	10.2	27.0	9.0	560	A	A	Black	TBA
14476	P	275/30ZR20	XL	97	W	4	50	1,609	-	9.5	9.0-10.0	10.9	26.5	9.0	560	A	A	Black	TBA
14466	P	285/30ZR20	XL	99	W	4	50	1,709	-	10.0	9.5-10.5	11.4	26.8	9.0	560	A	A	Black	TBA
14467		245/30ZR22	XL	92	W	4	50	1,389	-	8.5	8.0-8.5	9.8	27.8	9.0	560	A	A	Black	TBA
14468		265/30ZR22	XL	97	W	4	50	1,609	-	9.5	9.0-10.0	10.7	28.3	9.0	560	A	A	Black	TBA
14489		295/25ZR22	XL	97	W	4	50	1,609	-	9.5	9.0-10.0	10.7	28.3	9.0	560	A	A	Black	TBA



# N'Priz AH8

## GRAND TOURING ALL SEASON

The N'Priz AH8 is designed for family sedans that require all-year traction in dry, wet and light snow conditions. Performance in light snow conditions is superior to its predecessor, the CP672.

**TOTAL COVERAGE WARRANTY**  
NEXEN TIRE

**WARRANTY**  
 Mileage Warranty: 70,000 miles  
 Road Hazard: First 2/32" or 1 year  
 Roadside Assistance: 36 months



PATTERN CODE: AH8

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	OE
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.			
14699		185/65R14		86	H	4	44	1,168	-	5.5	5.0-6.5	7.4	23.5	9.0	600	A	A	Black	\$66.86	
14163		185/60R15		84	H	4	44	1,102	-	5.5	5.0-6.5	7.6	23.7	9.0	600	A	A	Black	\$75.05	
15120		195/60R15		88	H	4	44	1,235	-	6.0	5.5-7.0	7.9	24.2	9.0	600	A	A	Black	\$79.62	
NEW 14979		185/65R15		88	H	4	36	1,235	-	5.5	5.0-6.5	7.4	24.4	9.0	500	A	A	Black	\$74.26	
15711		195/65R15		91	H	4	44	1,356	-	6.0	5.5-7.0	7.9	25.0	9.0	600	A	A	Black	\$78.23	
14386		195/65R15		91	T	4	44	1,356	-	6.0	5.5-7.0	7.9	25.0	9.0	500	A	A	Black	\$80.57	HYUNDAI
13466		195/65R15		91	T	4	44	1,356	-	6.0	5.5-7.0	7.9	25.0	9.0	500	A	A	Black	\$80.57	KIA
15117		205/65R15		94	H	4	44	1,477	-	6.0	5.5-7.5	8.2	25.5	9.0	600	A	A	Black	\$85.74	
15521		185/55R16		83	H	4	51	1,074	-	6.0	5.0-6.5	7.6	24.0	9.0	600	A	A	Black	\$77.78	
15517		195/50R16		84	V	4	51	1,102	-	6.0	5.5-7.0	7.9	23.7	9.0	600	A	A	Black	\$87.43	
15523		195/55R16		87	V	4	51	1,201	-	6.0	5.5-7.0	7.9	24.4	9.0	600	A	A	Black	\$91.64	
15518		205/50R16		87	V	4	51	1,201	-	6.5	5.5-7.5	8.4	24.1	9.0	600	A	A	Black	\$92.82	
14194		205/55R16		91	H	4	44	1,356	-	6.5	5.5-7.5	8.4	24.9	10.0	560	A	A	Black	\$96.32	HYUNDAI
15710		205/55R16		91	V	4	44	1,356	-	6.5	5.5-7.5	8.4	24.9	10.0	600	A	A	Black	\$93.51	
NEW 15605		205/60R16		92	H	4	44	1,389	-	6.0	5.5-7.5	8.2	25.7	9.0	500	A	A	Black	\$106.24	HYUNDAI
NEW * 15529		205/60R16		92	H	4	51	1,389	-	6.0	5.5-7.5	8.2	25.7	9.0	TBD			Black	\$116.24	VW
13904		205/65R16		95	H	4	44	1,521	-	6.0	5.5-7.5	8.2	26.5	10.0	440	A	A	Black	\$99.05	KIA
15677	P	205/70R16		96	H	4	44	1,565	-	6.0	5.0-7.0	8.2	27.3	9.0	600	A	A	Black	\$96.77	
14369		215/55R16																		



... CONTINUED FROM PREVIOUS PAGE

PATTERN CODE: AH8

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	OE
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.			
15118		225/65R16		100	H	4	44	1,764	-	6.5	6.0-8.0	9.0	27.5	9.0	600	A	A	Black	\$105.17	
15123		235/60R16		100	H	4	44	1,764	-	7.0	6.5-8.5	9.4	27.1	9.0	600	A	A	Black	\$105.45	
15119		235/65R16		103	H	4	44	1,929	-	7.0	6.5-8.5	9.4	28.0	9.0	600	A	A	Black	\$112.22	
15347		205/45R17		84	H	4	51	1,102	-	7.0	6.5-7.5	8.1	24.3	9.0	600	A	A	Black	\$106.61	
NEW 14749		215/45R17		87	H	4	44	1,201	-	7.0	7.0-8.0	8.4	24.6	9.0	500	A	A	Black	\$105.99	HYUNDAI
15712		205/50R17	XL	93	V	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	9.0	600	A	A	Black	\$104.93	
NEW * 15530		205/55R17		91	H	4	51	1,356	-	6.5	5.5-7.5	8.4	25.9	9.0		TBD		Black	\$134.00	VW
14697		215/50R17		91	V	4	51	1,356	-	7.0	6.0-7.5	8.9	25.5	9.0	600	A	A	Black	\$101.84	
NEW 15606		215/55R17		94	V	4	44	1,477	-	7.0	6.0-7.5	8.9	26.3	9.0	500	A	A	Black	\$114.55	HYUNDAI
14698		215/60R17		96	V	4	44	1,565	-	6.5	6.0-7.5	8.7	27.2	9.0	600	A	A	Black	\$110.49	
14198		225/45R17		91	W	4	44	1,356	-	7.5	7.0-8.5	8.9	25.0	9.0	500	A	A	Black	\$105.06	HYUNDAI
14701		225/50R17		94	V	4	51	1,477	-	7.0	6.0-8.0	9.2	25.9	9.0	600	A	A	Black	\$106.93	
14694		225/55R17		97	V	4	51	1,609	-	7.0	6.0-8.0	9.2	26.8	9.0	600	A	A	Black	\$114.04	
15121		225/60R17		99	H	4	44	1,709	-	6.5	6.0-8.0	9.0	27.6	9.0	600	A	A	Black	\$120.85	
14753		235/45R17		94	V	4	51	1,477	-	8.0	7.5-9.0	9.3	25.4	9.0	600	A	A	Black	\$109.73	
15353		235/50R17		96	H	4	51	1,565	-	7.5	6.5-8.5	9.6	26.3	9.0	600	A	A	Black	\$115.23	
14704		235/55R17		99	V	4	51	1,709	-	7.5	6.5-8.5	9.6	27.2	9.0	600	A	A	Black	\$116.02	
14712		245/45R17		95	V	4	51	1,521	-	8.0	7.5-9.0	9.6	25.7	9.0	600	A	A	Black	\$118.64	
15520	P	245/50R17		98	V	4	51	1,653	-	7.5	7.0-8.5	10.0	26.7	9.0	600	A	A	Black	\$125.23	
13962		215/45R18		89	V	4	44	1,279	-	7.0	7.0-8.0	8.1	25.6	9.0	600	A	A	Black	\$114.16	
15359		215/55R18		95	H	4	51	1,521	-	7.0	6.0-7.5	8.9	27.3	9.0	600	A	A	Black	\$119.87	
14708		225/40R18		88	W	4	51	1,235	-	8.0	7.5-9.0	9.1	25.1	9.0	500	A	A	Black	\$122.83	HYUNDAI
15348		225/45R18		91	H	4	51	1,356	-	7.5	7.0-8.5	8.9	25.9	9.0	600	A	A	Black	\$113.40	
14706		225/50R18		95	V	4	51	1,521	-	7.0	6.0-8.0	9.2	26.9	9.0	600	A	A	Black	\$110.52	
14710		225/55R18		98	V	4	51	1,653	-	7.0	6.0-8.0	9.2	27.8	9.0	600	A	A	Black	\$142.62	
15122		225/60R18		100	H	4	44	1,764	-	6.5	6.0-8.0	9.0	28.6	9.0	600	A	A	Black	\$129.30	
15346		235/40R18		91	H	4	51	1,356	-	8.5	8.0-9.5	9.5	25.4	9.0	600	A	A	Black	\$122.88	
15349		235/45R18		94	H	4	51	1,477	-	8.0	7.5-9.0	9.3	26.3	9.0	600	A	A	Black	\$141.62	
15356		235/50R18		97	H	4	51	1,609	-	7.5	6.5-8.5	9.6	27.3	9.0	600	A	A	Black	\$148.83	
15524		235/55R18		100	H	4	51	1,764	-	7.5	6.5-8.5	9.6	28.1	9.0	600	A	A	Black	\$131.47	
14714		245/40R18		93	V	4	51	1,433	-	8.5	8.0-9.5	9.8	25.7	9.0	600	A	A	Black	\$129.95	
15351		245/45R18		96	H	4	51	1,565	-	8.0	7.5-9.0	9.6	26.7	9.0	600	A	A	Black	\$155.06	
15357		245/50R18		100	H	4	51	1,764	-	7.5	7.0-8.5	10.0	27.7	9.0	600	A	A	Black	\$151.80	
15525	P	245/55R18		102	H	4	51	1,874	-	7.5	7.0-8.5	10.0	28.6	9.0	600	A	A	Black	\$139.45	
15360		225/55R19		99	H	4	51	1,709	-	7.0	6.0-8.0	9.2	28.8	9.0	600	A	A	Black	\$174.89	

Technical Data can be changed without further notice.  
For more detailed OE application information, please refer to "Original Equipment 2018" page.  
\* Available 3Q, 2018



# Aria AH7

## PREMIUM STANDARD TOURING ALL SEASON

The Aria AH7 includes a four-groove design, which leverages optimal driving performance on wet roads in all four seasons. This tire has a uniformly designed center, which evenly distributes external pressure when contacting the road surface and prevents one-sided wear. The five random pitch variation design reduces pattern noise, and the increased block stiffness and uniform block distribution deliver maximum grip during high-speed cornering.



### WARRANTY

Mileage Warranty: 80,000 miles  
Road Hazard: First 2/32" or 1 year  
Roadside Assistance: 36 months

PATTERN CODE: AH7

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.			
15190		195/65R15		91	H	4	44	1,356	-	6.0	5.5-7.0	7.8	25.0	10.5	760	A	A	Black	\$83.45	
15194		205/55R16		91	H	4	51	1,356	-	6.5	5.5-7.5	8.3	24.9	10.5	760	A	A	Black	\$99.76	
15193		205/60R16		92	H	4	44	1,389	-	6.0	5.5-7.5	8.1	25.7	10.5	760	A	A	Black	\$102.28	
15191		205/65R16		95	H	4	44	1,521	-	6.0	5.5-7.5	8.1	26.5	10.5	760	A	A	Black	\$99.56	
14501		215/60R16		95	T	4	44	1,521	-	6.5	6.0-7.5	8.7	26.1	10.5	760	A	A	Black	\$99.18	
15192		215/65R16		98	T	4	44	1,653	-	6.5	6.0-7.5	8.6	27.0	10.5	760	A	A	Black	\$101.57	
14311		225/60R16		98	H	4	44	1,653	-	6.5	6.0-8.0	9.0	26.6	10.5	760	A	A	Black	\$110.50	
13044		225/65R16		100	T	4	44	1,764	-	6.5	6.0-8.0	9.0	27.5	10.5	760	A	A	Black	\$108.92	
13046		235/65R16		103	T	4	44	1,929	-	7.0	6.5-8.5	9.4	28.0	10.5	760	A	A	Black	\$116.23	
15693		215/70R16		100	H	4	44	1,764	-	6.5	5.5-7.0	8.6	27.9	10.5	760	A	A	Black	\$103.79	
15195		215/55R17		94	H	4	51	1,477	-	7.0	6.0-7.5	8.8	26.3	10.5	760	A	A	Black	\$107.60	
15155		215/60R17		96	H	4	44	1,565	-	6.5	6.0-7.5	8.7	27.2	10.5	760	A	A	Black	\$114.43	
13043		215/65R17		99	T	4	44	1,709	-	6.5	6.0-7.5	8.7	28.0	10.5	760	A	A	Black	\$121.57	
15198		225/50R17		94	H	4	51	1,477	-	7.0	6.0-8.0	9.1	25.9	10.5	760	A	A	Black	\$114.06	
13049		225/55R17		97	H	4	51	1,609	-	7.0	6.0-8.0	9.2	26.8	10.5	760	A	A	Black	\$118.12	
13041		225/60R17		99	T	4	44	1,709	-	6.5	6.0-8.0	9.0	27.6	10.5	760	A	A	Black	\$125.15	
15157		225/65R17		102	H	4	44	1,874	-	6.5	6.0-8.0	9.0	28.5	10.5	760	A	A	Black	\$119.90	
13042		235/60R17		102	H	4	44	1,874	-	7.0	6.5-8.5	9.4	28.1	10.5	760	A	A	Black	\$133.92	
13047		235/65R17		104	T	4	44	1,984	-	7.0	6.5-8.5	9.4	29.1	10.5	760	A	A	Black	\$139.08	
15196		215/55R18		95	T	4	51	1,521	-	7.0	6.0-7.5	8.8	27.3	10.5	760	A	A	Black	\$127.86	
15199		225/50R18		95	T	4	51	1,521	-	7.0	6.0-8.0	9.1	26.9	10.5	760	A	A	Black	\$117.90	
15197		225/55R18		98	T	4	51	1,653	-	7.0	6.0-8.0	9.1	27.8	10.5	760	A	A	Black	\$152.15	
13312		235/55R18		100	H	4	51	1,764	-	7.5	6.5-8.5	9.6	28.1	10.5	760	A	A	Black	\$149.26	
13313		235/60R18		103	H	4	44	1,929	-	7.0	6.5-8.5	9.4	29.1	10.5	760	A	A	Black	\$151.22	
13048		235/65R18		106	H	4	44	2,094	-	7.0	6.5-8.5	9.4	30.0	10.5	760	A	A	Black	\$145.65	

Technical Data can be changed without further notice.

### PERFORMANCE RATINGS

<b>BRAKING</b> 7	<b>COMFORT</b> 8	<b>FUEL EFFICIENCY</b> 8	<b>HANDLING</b> 8	<b>WEAR LIFE</b> 10
---------------------	---------------------	-----------------------------	----------------------	------------------------



# N'Priz AH5

## STANDARD TOURING ALL SEASON

The N'Priz AH5 has four wide, longitudinal grooves that improve drainage performance; a rigid shoulder block design to enhance cornering, handling and a quiet comfortable ride; and a dual kerf design to enhance block stiffness and mileage.



### WARRANTY

**Mileage Warranty:** 50,000 miles  
**Road Hazard:** First 2/32" or 1 year  
**Roadside Assistance:** 36 months

### PATTERN CODE: AH5

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
15011		175/65R14	XL	86	T	4	50	1,168	-	5.0	5.0-6.0	7.0	23.0	9.0	460	A	A	Black	\$55.82
15129		175/70R14		84	T	4	44	1,102	-	5.0	4.5-6.0	7.0	23.7	9.0	460	A	A	Black	\$60.44
12561	P	185/60R14		82	H	4	44	1,047	-	5.5	5.0-6.5	7.4	22.8	9.0	460	A	A	Black	\$64.62
15399		185/70R14		88	T	4	44	1,235	-	5.5	4.5-6.0	7.4	24.3	9.0	460	A	A	Black	\$58.72
15139	P	185/65R14		85	T	4	44	1,124	-	5.5	5.0-6.5	7.4	23.5	9.0	460	A	A	Black	\$59.02
12562	P	195/60R14		85	H	4	44	1,135	-	6.0	5.5-7.0	7.9	23.2	9.0	460	A	A	Black	\$65.97
15400		195/70R14		91	T	4	44	1,356	-	6.0	5.0-6.5	7.9	24.8	9.0	460	A	A	Black	\$59.35
15403		195/75R14		92	S	4	44	1,389	-	5.5	5.0-6.5	7.7	25.5	9.0	460	A	A	White	\$63.92
15404		205/75R14		95	S	4	44	1,521	-	5.5	5.0-7.0	8.0	26.1	9.0	460	A	A	White	\$65.67
15401		215/70R14		96	T	4	44	1,565	-	6.5	5.5-7.0	8.7	25.9	9.0	460	A	A	White	\$74.24
15130		175/65R15		84	H	4	44	1,102	-	5.0	5.0-6.0	7.0	24.0	9.0	460	A	A	Black	\$64.19
15138		185/55R15		82	H	4	51	1,047	-	6.0	5.0-6.5	7.6	23.0	9.0	460	A	A	Black	\$66.15
15134		185/60R15		84	T	4	44	1,102	-	5.5	5.0-6.5	7.4	23.7	9.0	460	A	A	Black	\$67.68
14658		185/65R15		88	H	4	44	1,235	-	5.5	5.0-6.5	7.4	24.4	9.0	460	A	A	Black	\$65.55
12558	P	195/55R15	XL	87	V	4	50	1,201	-	6.0	5.5-7.0	7.9	23.4	9.0	460	A	A	Black	\$73.85
15145	P	195/60R15		87	T	4	44	1,190	-	6.0	5.5-7.0	7.9	24.2	9.0	460	A	A	Black	\$70.29
15140	P	195/65R15		89	T	4	44	1,279	-	6.0	5.5-7.0	7.9	25.0	10.0	460	A	A	Black	\$69.09
12564	P	205/60R15		90	H	4	44	1,301	-	6.0	5.5-7.5	8.2	24.7	9.0	460	A	A	Black	\$75.75
15141	P	205/65R15		92	T	4	44	1,400	-	6.0	5.5-7.5	8.2	25.5	9.0	460	A	A	Black	\$75.68
14661		205/70R15		96	T	4	44	1,565	-	6.0	5.0-7.0	8.2	26.3	9.0	460	A	A	Black	\$72.98
15405		205/75R15		97	S	4	44	1,609	-	5.5	5.0-7.0	8.0	27.1	9.0	460	A	A	White	\$73.19
15142	P	215/65R15		95	T	4	44	1,510	-	6.5	6.0-7.5	8.7	26.0	9.0	460	A	A	Black	\$78.71
14662		215/70R15		98	T	4	44	1,653	-	6.5	5.5-7.0	8.7	26.9	9.0	460	A	A	Black	\$78.13
15406		215/75R15		100	S	4	44	1,764	-	6.0	5.5-7.0	8.5	27.7	9.0	460	A	A	White	\$68.22
15402		225/70R15		100	T	4	44	1,764	-	6.5	6.0-7.5	9.0	27.4	9.0	460	A	A	White	\$77.34

CONTINUED ON NEXT PAGE ...

### PERFORMANCE RATINGS

**BRAKING**  
7

**COMFORT**  
8

**FUEL EFFICIENCY**  
6

**HANDLING**  
7

**WEAR LIFE**  
7

# N'Priz AH5

... CONTINUED FROM PREVIOUS PAGE

### PATTERN CODE: AH5

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
15407		225/75R15		102	S	4	44	1,874	-	6.0	6.0-7.5	8.8	28.3	9.0	460	A	A	White	\$74.70
15408		235/75R15	XL	109	S	4	50	2,271	-	6.5	6.0-8.0	9.3	28.9	9.0	460	A	A	White	\$72.98
15148	P	205/55R16		89	T	4	44	1,279	-	6.5	5.5-7.5	8.4	24.9	10.0	460	A	A	Black	\$82.57
15146	P	205/60R16		91	T	4	44	1,356	-	6.0	5.5-7.5	8.2	25.7	9.0	460	A	A	Black	\$84.64
15131		205/65R16		95	T	4	44	1,521	-	6.0	5.5-7.5	8.2	26.5	9.0	460	A	A	Black	\$82.39
15147		215/60R16		95	T	4	44	1,521	-	6.5	6.0-7.5	8.7	26.1	9.0	460	A	A	Black	\$87.14
15143		215/65R16		98	T	4	44	1,653	-	6.5	6.0-7.5	8.7	27.0	9.0	460	A	A	Black	\$84.06
15136		225/60R16		98	T	4	44	1,653	-	6.5	6.0-8.0	9.0	26.6	9.0	460	A	A	Black	\$89.49
15137		235/60R16		100	T	4	44	1,764	-	7.0	6.5-8.5	9.4	27.1	9.0	460	A	A	Black	\$93.09
15144		235/65R16		103	T	4	44	1,929	-	7.0	6.5-8.5	9.4	28.0	9.0	460	A	A	Black	\$99.08
15152		215/50R17		91	H	4	51	1,356	-	7.0	6.0-7.5	8.9	25.5	9.0	460	A	A	Black	\$89.91
15149		215/55R17		94	H	4	51	1,477	-	7.0	6.0-7.5	8.9	26.3	9.0	460	A	A	Black	\$89.07
13022		215/60R17		96	T	4	44	1,565	-	6.5	6.0-7.5	8.7	27.2	9.0	460	A	A	Black	\$97.54
15132		215/65R17		99	T	4	44	1,709	-	6.5	6.0-7.5	8.7	28.0	9.0	460	A	A	Black	\$103.64
15153		225/50R17		94	T	4	51	1,477	-	7.0	6.0-8.0	9.2	25.9	9.0	460	A	A	Black	\$94.39
15150		225/55R17		97	T	4	36	1,609	-	7.0	6.0-8.0	9.2	26.8	9.0	460	A	A	Black	\$100.69
15135		225/60R17		99	T	4	44	1,709	-	6.5	6.0-8.0	9.0	27.6	9.0	460	A	A	Black	\$106.68
15133		225/65R17		102	T	4	44	1,874	-	6.5	6.0-8.0	9.0	28.5	9.0	460	A	A	Black	\$101.53
15151		235/55R17		99	H	4	51	1,709	-	7.5	6.5-8.5	9.6	27.2	9.0	460	A	A	Black	\$102.41

Technical Data can be changed without further notice.  
 White: White Ribbon Type (0.6" Width)



# SB-802

## STANDARD TOURING ALL SEASON



### WARRANTY

**Mileage Warranty:** N/A  
**Road Hazard:** N/A  
**Roadside Assistance:** 36 months

### PATTERN CODE: SB802

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
11766		165/80R15		87	T	4	36	1,201	-	4.5	4.0-5.5	6.5	25.4	10.0	320	A	B	Black	\$67.09

Technical Data can be changed without further notice.



# ROADIAN HP

## STREET SPORT TRUCK ALL SEASON

The Roadian HP includes a V-shaped directional pattern design, which provides high-performance grip on any road surface. This tire also features a five random pitch variation design that reduces pattern noise, wide and deep directional grooves to provide excellent drainage and braking performance, while the large shoulder blocks maximize cornering grip.



### WARRANTY

Mileage Warranty: 40,000 miles  
 Road Hazard: First 2/32" or 1 year  
 Roadside Assistance: 36 months

**PATTERN CODE: RO HP**

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
11006		255/60R17		106	V	4	44	2,094	-	7.5	7.0-9.0	10.2	29.1	11.0	460	A	A	Black	\$135.34
15451		265/60R17		108	V	4	44	2,205	-	8.0	7.5-9.5	10.7	29.5	11.0	460	A	A	Black	\$136.72
15453		275/60R17		110	V	4	44	2,337	-	8.0	7.5-9.5	11.0	30.0	11.0	460	A	A	Black	\$152.75
15608		265/60R18		110	H	4	44	2,337	-	8.0	7.5-9.5	10.7	30.5	11.0	460	A	A	Black	\$144.60
15455		285/60R18		116	V	4	44	2,756	-	8.5	8.0-10.0	11.5	31.5	11.0	460	A	A	Black	\$157.60
15467		255/50R20	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	30.1	11.0	460	A	A	Black	\$146.11
15469		265/50R20	XL	111	V	4	50	2,403	-	8.5	7.5-9.5	10.9	30.5	11.0	460	A	A	Black	\$147.52
15470		275/40R20	XL	106	V	4	50	2,094	-	9.5	9.0-10.5	10.9	28.7	11.0	460	A	A	Black	\$135.33
15454		275/45R20	XL	110	V	4	50	2,337	-	9.0	8.5-10.5	10.7	29.8	11.0	460	A	A	Black	\$134.42
15471		275/55R20	XL	117	V	4	50	2,833	-	8.5	7.5-9.5	11.2	31.9	11.0	460	A	A	Black	\$141.96
15473		285/50R20	XL	116	V	4	50	2,756	-	9.0	8.0-10.0	11.7	31.3	11.0	460	A	A	Black	\$143.38
15463		295/40R20		106	V	4	44	2,094	-	10.5	10.0-11.5	11.9	29.3	11.0	460	A	A	Black	\$152.56
15459		295/45R20	XL	114	V	4	50	2,601	-	10.0	9.5-11.0	11.7	30.5	11.0	460	A	A	Black	\$152.28
15464		255/30R22	XL	95	V	4	50	1,521	-	9.0	8.5-9.5	10.2	28.1	11.0	460	A	A	Black	\$139.31
15456		265/35R22	XL	102	V	4	50	1,874	-	9.5	9.0-10.5	10.7	29.3	11.0	460	A	A	Black	\$132.77
15472		285/35R22	XL	106	V	4	50	2,094	-	10.0	9.5-11.0	11.4	29.9	11.0	460	A	A	Black	\$178.41
15466		285/45R22	XL	114	V	4	50	2,601	-	9.5	9.0-10.5	11.2	32.1	11.0	460	A	A	Black	\$174.55
15457		295/30R22	XL	103	V	4	50	1,929	-	10.5	10.0-11.0	11.9	29.0	11.0	460	A	A	Black	\$170.57
15460		305/40R22	XL	114	V	4	50	2,601	-	11.0	10.0-11.5	12.3	31.6	11.0	460	A	A	Black	\$156.30
15452		305/45R22	XL	118	V	4	50	2,910	-	10.0	9.5-11.5	11.9	32.8	11.0	460	A	A	Black	\$156.30
15474		295/35R24	XL	110	V	4	50	2,337	-	10.5	10.0-11.5	11.9	32.1	11.0	460	A	A	Black	\$223.55
15354		305/35R24	XL	112	V	4	50	2,469	-	11.0	10.0-12.0	12.3	32.4	11.0	460	A	A	Black	\$200.75

Technical Data can be changed without further notice.

**PERFORMANCE RATINGS**

BRAKING  
8

COMFORT  
7

FUEL EFFICIENCY  
8

HANDLING  
9

WEAR LIFE  
8



# N'FERA RU5

## CUV/SUV TOURING ALL SEASON

The N'Fera RU5 exhibits a wave- and straight-groove design, which optimizes the flow of water and improves hydroplaning performance. Enhanced center block stiffness improves handling response during high-speed driving. The micro-groove design optimizes traction performance in wet and snowy road conditions; and a second rib on the outside, asymmetrically to the inside, optimizes stiffness and reduces in and out, delivering higher driving stability.



### WARRANTY

Mileage Warranty: 65,000 miles  
 Road Hazard: First 2/32" or 1 year  
 Roadside Assistance: 36 months

**PATTERN CODE: RU5**

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
14435	P	235/55R18	XL	102	V	4	50	1,874	-	7.5	6.5-8.5	9.6	28.1	10.0	500	A	A	Black	\$127.80
12612		235/60R18	XL	107	V	4	50	2,149	-	7.0	6.5-8.5	9.4	29.1	10.0	500	A	A	Black	\$130.72
14011		235/65R18	XL	110	V	4	50	2,337	-	7.0	6.5-8.5	9.4	30.0	10.0	500	A	A	Black	\$127.84
12613	P	245/60R18		104	V	4	51	1,984	-	7.0	7.0-8.5	9.8	29.6	10.0	500	A	A	Black	\$133.54
12605		255/55R18	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	29.0	10.0	500	A	A	Black	\$137.80
14391		255/60R18	RF	112	V	4	50	2,469	-	7.5	7.0-9.0	10.2	30.0	10.0	500	A	A	Black	\$141.71
12615	P	265/60R18		109	V	4	51	2,271	-	8.0	7.5-9.5	10.7	30.5	10.0	500	A	A	Black	\$144.60
14058		235/50R19	XL	103	V	4	50	1,929	-	7.5	6.5-8.5	9.6	28.3	10.0	500	A	A	Black	\$157.69
13122		235/55ZR19	XL	105	W	4	50	2,039	-	7.5	6.5-8.5	9.6	29.2	10.0	500	A	A	Black	\$154.19
14059		245/55R19		103	V	4	51	1,929	-	7.5	7.0-8.5	10.0	29.6	10.0	500	A	A	Black	\$154.69
14434		255/50ZR19	RF	107	W	4	50	2,149	-	8.0	7.0-9.0	10.4	29.1	10.0	500	A	A	Black	\$157.04
14016		235/55R20	XL	105	V	4	50	2,039	-	7.5	6.5-8.5	9.6	30.2	10.0	500	A	A	Black	\$131.14
14070		245/50R20		102	V	4	51	1,874	-	7.5	7.0-8.5	10.0	29.7	10.0	500	A	A	Black	\$134.58
12606		255/45R20	XL	105	V	4	50	2,039	-	8.5	8.0-9.5	10.0	29.1	10.0	500	A	A	Black	\$136.62
14012		255/50ZR20	XL	109	W	4	50	2,771	-	8.0	7.0-9.0	10.4	30.1	10.0	500	A	A	Black	\$148.42
15092		255/55R20		107	V	4	51	2,149	-	8.0	7.0-9.0	10.4	31.0	10.0	500	A	A	Black	\$136.54
12607		265/45R20	XL	108	V	4	50	2,205	-	9.0	8.5-10.0	10.5	29.4	10.0	500	A	A	Black	\$139.41
14021		265/50R20	XL	111	V	4	50	2,403	-	8.5	7.5-9.5	10.9	30.5	10.0	500	A	A	Black	\$149.84
12617		275/40R20	XL	106	W	4	50	2,094	-	9.5	9.0-10.5	10.9	28.7	10.0	500	A	A	Black	\$135.33
12608		275/45R20	XL	110	V	4	50	2,337	-	9.0	8.5-10.5	10.7	29.8	10.0	500	A	A	Black	\$134.43

Technical Data can be changed without further notice.

**PERFORMANCE RATINGS**

BRAKING  
8

COMFORT  
9

FUEL EFFICIENCY  
9

HANDLING  
10

WEAR LIFE  
10





# ROADIAN HTX RH5

## HIGHWAY TERRAIN

The Roadian HTX RH5 contains a four-channel groove design in forward direction to enhance drainage and hydroplaning performance on wet roads. The three- and four-division tread design improves grip while enhancing wear performance. The reinforced shoulder block design results in improved cornering and handling, while a center rib block design optimizes grip and steering performance.



### WARRANTY (P) METRIC

**Mileage Warranty:** 65,000 miles  
**Road Hazard:** First 2/32" or 1 year  
**Roadside Assistance:** 36 months

### OE FITMENT ON



### WARRANTY (LT) METRIC

**Mileage Warranty:** 40,000 miles  
**Road Hazard:** First 2/32" or 1 year  
**Roadside Assistance:** 36 months

#### PATTERN CODE: RH5 (P) METRIC

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	OE
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.			
13137		225/70R15		100	S	4	51	1,764	-	6.5	6.0-7.5	9.0	27.4	12.0	640	A	A	White	\$101.99	
13138		235/70R15		103	S	4	51	1,929	-	7.0	6.0-8.0	9.4	28.0	12.0	640	A	A	White	\$106.94	
13128		235/75R15	XL	109	S	4	50	2,271	-	6.5	6.0-8.0	9.3	28.9	12.0	640	A	A	White	\$100.48	
13132		265/70R15		112	S	4	51	2,469	-	8.0	7.0-9.0	10.7	29.6	12.0	640	A	A	White	\$128.28	
12692		225/70R16		103	T	4	51	1,929	-	6.5	6.0-7.5	9.0	28.4	12.0	640	A	A	White	\$106.65	
13133		225/75R16	XL	108	S	4	50	2,205	-	6.0	6.0-7.5	8.8	29.3	12.0	640	A	A	White	\$109.69	
11725		235/70R16		106	T	4	51	2,094	-	7.0	6.0-8.0	9.4	29.0	12.0	640	A	A	White	\$117.62	
12694		235/75R16		108	T	4	51	2,205	-	6.5	6.0-8.0	9.3	29.8	12.0	640	A	A	White	\$115.18	
14397		245/70R16	RF	111	T	4	50	2,403	-	7.0	6.5-8.0	9.8	29.5	12.0	640	A	A	White	\$124.79	
13130		245/75R16		111	S	4	51	2,403	-	7.0	6.5-8.0	9.8	30.5	12.0	640	A	A	White	\$123.08	
12695		255/65R16		109	H	4	51	2,271	-	7.5	7.0-9.0	10.2	29.1	12.0	640	A	A	White	\$135.04	
11714		255/70R16		111	S	4	51	2,403	-	7.5	6.5-8.5	10.2	30.1	12.0	640	A	A	White	\$131.31	
11716		265/70R16		112	S	4	51	2,469	-	8.0	7.0-9.0	10.7	30.6	12.0	640	A	A	White	\$137.36	
13127		265/75R16		116	T	4	51	2,756	-	7.5	7.0-9.0	10.5	31.7	12.0	640	A	A	White	\$136.33	
13970		275/70R16		114	S	4	51	2,601	-	8.0	7.0-9.0	11.0	31.2	12.0	640	A	A	Black	\$156.38	
13131		225/65R17		102	H	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	11.0	640	A	A	Black	\$113.18	

CONTINUED ON NEXT PAGE ...

#### PERFORMANCE RATINGS

<b>BRAKING</b> 8	<b>COMFORT</b> 9	<b>FUEL EFFICIENCY</b> 8	<b>HANDLING</b> 8	<b>WEAR LIFE</b> 9
---------------------	---------------------	-----------------------------	----------------------	-----------------------

# ROADIAN HTX RH5

... CONTINUED FROM PREVIOUS PAGE

#### PATTERN CODE: RH5 (P) METRIC

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	OE
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.			
14399		235/65R17	RF	108	H	4	50	2,205	-	7.0	6.5-8.5	9.4	29.1	11.0	640	A	A	Black	\$137.84	
13142		235/70R17	XL	111	T	4	50	2,403	-	7.0	6.0-8.0	9.4	30.0	12.0	640	A	A	White	\$139.23	
14396		245/65R17	RF	111	H	4	50	2,403	-	7.0	7.0-8.5	9.8	29.5	11.0	640	A	A	White	\$136.23	
11729		245/70R17		110	T	4	51	2,337	-	7.0	6.5-8.0	9.8	30.6	12.0	640	A	A	White	\$133.15	
13143		255/65R17		110	S	4	51	2,337	-	7.5	7.0-9.0	10.2	30.1	12.0	640	A	A	White	\$147.71	
11740		255/70R17		112	T	4	51	2,469	-	7.5	6.5-8.5	10.2	31.1	12.0	640	A	A	White	\$144.08	
13141		265/65R17		112	H	4	51	2,469	-	8.0	7.5-9.5	10.7	30.6	12.0	640	A	A	Black	\$152.13	
11730		265/70R17		115	T	4	51	2,679	-	8.0	7.0-9.0	10.7	31.7	12.0	640	A	A	White	\$149.44	
13136		235/60R18		103	V	4	51	1,929	-	7.0	6.5-8.5	9.4	29.1	11.0	640	A	A	Black	\$142.70	
14398		235/65R18	RF	110	H	4	50	2,337	-	7.0	6.5-8.5	9.4	30.0	11.0	640	A	A	Black	\$137.49	
13140		245/60R18		105	H	4	51	2,039	-	7.0	7.0-8.5	9.8	29.6	11.0	640	A	A	Black	\$146.97	
12696		255/65R18		111	T	4	51	2,403	-	7.5	7.0-9.0	10.2	31.1	12.0	640	A	A	Black	\$159.63	
13134		255/70R18		113	T	4	51	2,535	-	7.5	6.5-8.5	10.2	32.1	12.0	640	A	A	Black	\$155.87	
13147		265/60R18		110	H	4	51	2,337	-	8.0	7.5-9.5	10.7	30.5	12.0	640	A	A	Black	\$150.37	
13139		265/65R18		114	S	4	51	2,601	-	8.0	7.5-9.5	10.7	31.5	12.0	640	A	A	Black	\$155.23	
13670		265/70R18		116	S	4	51	2,756	-	8.0	7.0-9.0	10.7	32.6	12.0	640	A	A	Black	\$158.12	
11720		275/65R18		116	T	4	51	2,756	-	8.0	7.5-9.5	11.0	32.1	12.0	640	A	A	Black	\$168.21	
14327		255/60R19		109	H	4	51	2,271	-	7.5	7.0-9.0	10.2	31.1	12.0	640	A	A	Black	\$161.59	
15115		245/60R20		107	H	4	51	2,149	-	7.0	7.0-8.5	9.7	31.5	11.0	640	A	A	Black	\$172.89	
14325		265/50R20		107	V	4	51	2,149	-	8.5	7.5-9.5	10.9	30.5	12.0	640	A	A	Black	\$158.46	
15278		275/55R20		113	T	4	51	2,535	-	9.0	8.5-9.0	11.3	31.8	10.5	640	A	A	Black	\$170.14	RAM
13144		275/60R20		115	S	4	51	2,679	-	8.0	7.5-9.5	11.0	33.0	12.0	640	A	A	Black	\$152.22	
NEW 16039		285/45R22	XL	114	H	4	50	1,180	-	9.5	9.0-10.5	11.2	32.1	11.0	640	A	A	Black	\$193.51	
14007		31X10.50R15		109	S	6	50	2,270	-	8.5	7.0-9.0	10.6	30.5	13.5	-	-	-	Black	\$140.37	

#### PATTERN CODE: RH5 (LT) METRIC

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	OE
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.			
11857	LT	215/85R16		115/112	Q	10	80	2,680	2,470	6.0	5.5-7.0	8.5	30.4	13.0	-	-	-	Black	\$130.42	
12685	LT	225/75R16		115/112	Q	10	80	2,680	2,470	6.0	6.0-7.0	8.8	29.3	13.0	-	-	-	Black	\$131.96	
11859	LT	235/85R16		120/116	Q	10	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	13.0	-	-	-	Black	\$145.86	
11851	LT	245/75R16		120/116	Q	10	80	3,042	2,778	7.0	6.5-8.0	9.8	30.5	13.0	-	-	-	Black	\$147.16	
11854	LT	265/75R16		123/120	Q	10	80	3,415	3,085	7.5	7.0-8.0	10.5	31.7	13.0	-	-	-	White	\$159.76	
13353	LT	235/80R17		120/117	R	10	80	3,085	2,835	6.5	6.0-7.5	9.3	31.8	15.0	-	-	-	Black	\$163.58	RAM
11855	LT	245/75R17		121/118	S	10	80	3,195	2,910	7.0	6.5-7.5	9.8	31.5	13.0	-	-	-	Black	\$179.87	
12812	LT	265/70R17		121/118	R	10	80	3,195	2,910	8.0	7.0-8.5	10.7	31.7	13.0	-	-	-	White	\$174.47	
15116	LT	275/65R18		123/120	S	10	80	3,415	3,085	8.0	7.5-9.0	10.9	32.0	13.5	-	-	-	White	\$185.03	

Technical Data can be changed without further notice. For more detailed OE application information, please refer to "Original Equipment 2018" page.



# ROADIAN AT Pro RA8

## ALL TERRAIN

The Roadian AT Pro RA8 is comprised of a zig-zag sipe design and an open outside shoulder design to improve off-road performance with optimal mud extraction and heat reduction. The sipe-in-groove design prevents pebbles from getting stuck and improves mud-extraction performance, while the multi-sequence tread design on the center and shoulder deliver optimal noise, wear and drainage performance.



### WARRANTY (P) METRIC

Mileage Warranty: 50,000 miles  
Road Hazard: First 2/32" or 1 year  
Roadside Assistance: 36 months

### OE FITMENT ON



### WARRANTY (LT) METRIC

Mileage Warranty: 40,000 miles  
Road Hazard: First 2/32" or 1 year  
Roadside Assistance: 36 months

#### PATTERN CODE: RA8 (P) METRIC

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	F.E.T.	OE
								S	D	Meas.	App.				Tread-wear	Trac.	Temp.				
14392		235/75R15	RF	109	S	4	50	2,271	-	6.5	6.0-8.0	9.3	28.9	13.0	560	A	B	White	\$104.17		
12764		235/70R16		106	S	4	51	2,094	-	7.0	6.0-8.0	9.4	29.0	13.0	560	A	B	White	\$117.86		
14393		245/70R16	RF	111	S	4	50	2,403	-	7.0	6.5-8.0	9.8	29.5	13.0	560	A	B	Black	\$127.95		
12771		245/75R16		111	S	4	51	2,403	-	7.0	6.5-8.0	9.8	30.5	13.0	560	A	B	White	\$123.38		
12760		255/70R16		111	S	4	51	2,403	-	7.5	6.5-8.5	10.2	30.1	13.0	560	A	B	White	\$132.82		
12758		265/70R16		112	S	4	51	2,469	-	8.0	7.0-9.0	10.7	30.6	13.0	560	A	B	White	\$138.76		
12759		265/75R16		116	S	4	51	2,756	-	7.5	7.0-9.0	10.5	31.7	13.0	560	A	B	White	\$137.63		
15211		235/75R17		108	S	4	51	2,271	-	6.5	6.0-8.0	9.3	30.9	13.0	560	A	B	Black	\$138.67		
14436		245/65R17	RF	111	S	4	50	2,403	-	7.0	7.0-8.5	9.8	29.5	13.0	560	A	B	Black	\$135.14		
12784		245/70R17		110	S	4	51	2,337	-	7.0	6.5-8.0	9.8	30.6	13.0	560	A	B	White	\$134.95		
NEW 16049	P	255/70R17		110	S	4	51	2,337	-	7.5	6.5-8.5	10.2	31.1	13.0	560	A	B	White	\$125.48		
NEW 16060	P	255/75R17		113	S	4	51	2,535	-	7.0	6.5-8.5	10.0	32.0	13.0	560	A	B	White	\$137.05		
12785		265/65R17		112	T	4	51	2,469	-	8.0	7.5-9.5	10.7	30.6	13.0	560	A	B	White	\$153.50		
13637		265/70R17		115	S	4	51	2,679	-	8.0	7.0-9.0	10.7	31.7	13.0	560	A	B	White	\$149.05		
NEW 16061	P	285/70R17		117	T	4	51	2,833	-	8.5	7.5-9.5	11.5	32.8	13.0	560	A	B	Black	\$153.07		
15209		255/70R18		112	T	4	51	2,535	-	7.5	6.5-8.5	10.2	32.1	13.0	560	A	B	White	\$157.13		
13123		265/60R18		110	T	4	51	2,337	-	8.0	7.5-9.5	10.7	30.5	13.0	560	A	B	Black	\$154.04		

CONTINUED ON NEXT PAGE ...

#### PERFORMANCE RATINGS

<b>BRAKING</b> 9	<b>COMFORT</b> 7	<b>FUEL EFFICIENCY</b> 8	<b>OFF-ROAD</b> 9	<b>WEAR LIFE</b> 8
---------------------	---------------------	-----------------------------	----------------------	-----------------------

# ROADIAN AT Pro RA8

... CONTINUED FROM PREVIOUS PAGE

#### PATTERN CODE: RA8 (P) METRIC

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	F.E.T.	OE
								S	D	Meas.	App.				Tread-wear	Trac.	Temp.				
12780		265/65R18		114	S	4	51	2,601	-	8.0	7.5-9.5	10.7	31.5	13.0	560	A	B	Black	\$157.72		
15210		265/70R18		116	S	4	51	2,756	-	8.0	7.0-9.0	11.1	33.2	13.0	560	A	B	White	\$151.40		
12774		275/65R18		116	T	4	51	2,756	-	8.0	7.5-9.5	11.0	32.1	13.0	560	A	B	Black	\$174.56		
12783		275/55R20	XL	117	T	4	50	2,833	-	8.5	7.5-9.5	11.2	31.9	12.0	560	A	B	Black	\$162.23		
13121		275/60R20		115	S	4	51	2,679	-	8.0	7.5-9.5	11.0	33.0	12.0	560	A	B	Black	\$164.31		
NEW 16055		285/45R22	XL	114	H	4	50	1,180	-	9.5	9.0-10.5	11.2	32.1	12.5	560	A	B	Black	\$200.52		
NEW 16059		305/45R22	XL	118	T	4	50	1,400	-	10.0	9.5-11.5	11.9	32.8	12.5	560	A	B	Black	\$212.55		

#### PATTERN CODE: RA8 (LT) METRIC

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	F.E.T.	OE
								S	D	Meas.	App.				Tread-wear	Trac.	Temp.				
12744	LT	235/75R15		104/101	R	6	50	1,985	1,820	6.5	6.0-7.0	9.3	28.9	16.0	-	-	-	White	\$119.83		
13965	LT	215/85R16		115/112	R	10	80	2,680	2,470	6.0	5.5-7.0	8.5	30.4	16.0	-	-	-	White	\$138.23		
12743	LT	225/75R16		115/112	R	10	80	2,680	2,470	6.0	6.0-7.0	8.8	29.3	16.0	-	-	-	Black	\$140.93		
12748	LT	235/85R16		120/116	R	10	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	16.0	-	-	-	Black	\$146.07		
12740	LT	245/75R16		120/116	R	10	80	3,042	2,778	7.0	6.5-8.0	9.8	30.5	16.0	-	-	-	White	\$147.26		
12738	LT	265/75R16		123/120	R	10	80	3,415	3,085	7.5	7.0-8.0	10.5	31.7	16.0	-	-	-	White	\$161.59		
NEW*+ 16278	LT	285/75R16		126/123	R	10	80	3,750	3,415	8.0	7.5-9.0	11.3	32.8	16.0	-	-	-	White	\$159.30	\$2.36	
NEW*+ 16286	LT	315/75R16		127/124	R	10	65	3,860	1,600	8.5	8.0-11.0	12.3	34.6	16.0	-	-	-	Black	\$186.89	\$3.40	
13354	LT	235/80R17		120/117	R	10	80	3,085	2,835	6.5	6.0-7.5	9.3	31.8	15.0	-	-	-	White	\$165.95		RAM
13113	LT	245/70R17		119/116	S	10	80	3,000	2,755	7.0	6.5-8.0	9.8	30.6	16.0	-	-	-	White	\$154.77		
12746	LT	245/75R17		121/118	S	10	80	3,195	2,910	7.0	6.5-7.5	9.8	31.5	16.0	-	-	-	Black	\$169.22		
12735	LT	265/70R17		121/118	S	10	80	3,195	2,910	8.0	7.0-8.5	10.7	31.7	16.0	-	-	-	Black	\$176.05		
+ 15218	LT	285/70R17		121/118	S	10	80	3,195	2,910	8.5	7.5-9.0	11.5	32.8	16.0	-	-	-	Black	\$191.84		
NEW*+ 16285	LT	285/75R17		121/118	S	10	80	3,195	2,910	8.0	7.5-9.5	11.3	33.9	16.0	-	-	-	Black	\$182.44		
NEW*+ 16283	LT	315/70R17		121/118	S	10	65	3,195	2,910	9.5	8.0-11.0	12.7	34.4	16.0	-	-	-	Black	\$214.48		
+ 15217	LT	265/70R18		124/121	S	10	80	3,527	3,197	8.0	7.0-9.0	10.7	32.6	16.0	-	-	-	White	\$161.15	\$0.26	
+ 15215	LT	275/65R18		123/120	S	10	80	3,415	3,085	8.0	7.5-9.0	11.0	32.1	16.0	-	-	-	White	\$188.54		
+ 14760	LT	275/70R18		125/122	R	10	80	3,640	3,305	8.0	7.0-8.5	11.0	33.2	14.0	-	-	-	Black	\$195.95	\$1.32	RAM
+ 15216	LT	285/65R18		125/122	S	10	80	3,640	3,305	8.5	8.0-10.0	11.5	32.6	16.0	-	-	-	Black	\$221.25	\$1.32	
NEW*+ 16280	LT	295/70R18		129/126	S	10	80	4,080	3,750	8.5	7.5-10.0	11.8	34.3	16.0	-	-	-	Black	\$222.49	\$5.48	
+ 15214	LT	265/60R20		121/118	S	10	80	3,195	2,910	8.0	7.5-9.5	10.7	32.5	16.0	-	-	-	Black	\$227.89		
NEW + 16063	LT	275/55R20		120/117	S	10	80	3,085	2,835	8.5	7.5-9.5	11.2	31.9	16.0	-	-	-	Black	\$167.95		
NEW + 16062	LT	275/60R20		123/120	S	10	80	3,415	3,085	8.0	7.5-9.5	11.0	33.0	16.0	-	-	-	Black	\$214.98		
NEW + 13111	LT	275/65R20		126/123	S	10	80	3,750	3,415	8.0	7.5-9.5	11.0	34.1	16.0	-	-	-	Black	\$234.06	\$2.36	
+ 15212	LT	285/55R20		122/119	S	10	80	3,305	3,000	9.0	8.0-10.0	11.7	32.4	16.0	-	-	-	Black	\$239.29		
NEW*+ 16279	LT	295/60R20		126/123	S	10	80	3,750	3,415	8.5	8.0-10.0	11.8	33.9	16.0	-	-	-	Black	\$280.34	\$2.36	
+ 15213	LT	305/55R20		121/118	S	10	65	3,195	2,910	9.5	8.5-11.0	12.4	33.2	16.0	-	-	-	Black	\$280.87		
12753		30X9.50R15		104	S	6	50	1,985	-	7.5	6.5-8.5	9.4	29.5	16.0	-	-	-	White	\$131.30		
12750		31X10.50R15		109	S	6	50	2,270	-	8.5	7.0-9.0	10.6	30.5	16.0	-	-	-	White	\$138.35		
NEW*+ 16282		33X12.50R15		108	R	6	35	2,205	-	10.0	8.5-11.0	12.5	32.5	16.0	-	-	-	White	\$135.27		
NEW*+ 16373		35X12.50R18		128	S	12	80	3,970	-	10.0	8.5-11.0	12.5	34.5	16.0	-	-	-	Black	\$229.96	\$4.44	
NEW*+ 16374		35X12.50R20		125	S	12	80	3,640	-	10.0	8.5-11.0	12.5	34.5	16.0	-	-	-	Black	\$273.22	\$1.32	

Technical Data can be changed without further notice.  
For more detailed OE application information, please refer to "Original Equipment 2018" page.  
\* Available Feb. 2018 for FDC Order.  
+ Different sidewall



# ROADIAN MTX

## MUD TERRAIN

The Roadian MTX features an aggressive design that is extremely versatile for on- and off-road driving. Each tire boasts a dual sidewall design that allows you to customize the look of the tire on your vehicle. The Roadian MTX also features a standard 3-ply design and F-Load weight rating that makes it extremely capable for heavy hauling. With such rugged traits you wouldn't expect the Roadian MTX to be as quiet as it is on the highway, but thanks to its patented tread block design the road noise has been minimized.



### WARRANTY

Mileage Warranty: N/A  
 Road Hazard: N/A  
 Roadside Assistance: 36 months

### PATTERN CODE: RO MTX

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	F.E.T.
								S	D	Meas.	App.				Tread-wear	Trac.	Temp.			
NEW 15873	LT	265/75R16		123/120	Q	10	80	3,415	3,085	7.5	7.0-8.0	10.5	31.9	19.0	-	-	-	Black	\$213.27	
NEW * 15879	LT	285/75R16		126/123	Q	10	80	3,750	3,415	8.0	7.5-9.0	11.3	33.1	19.0	-	-	-	Black	\$225.66	\$2.36
NEW 15883	LT	235/80R17		120/117	Q	10	80	3,085	2,835	6.5	6.0-7.5	9.3	32.0	18.0	-	-	-	Black	\$205.35	
NEW 15884	LT	245/75R17		121/118	Q	10	80	3,195	2,910	7.0	6.5-7.5	9.8	31.7	18.0	-	-	-	Black	\$215.79	
NEW 15886	LT	255/75R17		111/108	Q	6	50	2,405	2,205	7.0	6.5-8.5	10.0	32.3	18.0	-	-	-	Black	\$239.77	
NEW 15887	LT	265/70R17		121/118	Q	10	80	3,195	2,910	8.0	7.0-8.5	10.7	31.9	19.0	-	-	-	Black	\$237.63	
NEW 15713	LT	285/70R17		121/118	Q	10	80	3,195	2,910	8.5	7.5-9.0	11.0	33.0	19.0	-	-	-	Black	\$289.46	
NEW * 15888	LT	295/70R17		121/118	Q	10	80	3,195	2,910	8.5	7.5-10.0	11.8	33.5	20.0	-	-	-	Black	\$258.66	
NEW * 16398	LT	305/65R17		121/118	Q	12	80	3,195	2,910	9.0	8.5-11.0	12.2	32.8	20.0	-	-	-	Black	\$252.64	
NEW * 16399	LT	315/70R17		121/118	Q	12	80	3,195	2,910	9.5	8.0-11.0	12.7	34.6	20.0	-	-	-	Black	\$274.61	
NEW 15925	LT	275/65R18		123/120	Q	10	80	3,415	3,085	8.0	7.5-9.0	11.0	32.3	19.0	-	-	-	Black	\$236.95	
NEW 15897	LT	275/70R18		125/122	Q	10	80	3,640	3,305	8.0	7.0-8.5	11.0	33.4	19.0	-	-	-	Black	\$256.06	\$1.32
NEW 15926	LT	285/65R18		125/122	Q	10	80	3,640	3,305	8.5	8.0-10.0	11.5	32.8	19.0	-	-	-	Black	\$304.22	\$1.32
NEW * 15898	LT	295/70R18		129/126	Q	10	80	4,080	3,750	8.5	7.5-10.0	11.8	34.5	20.0	-	-	-	Black	\$264.54	\$5.48
NEW * 16400	LT	305/70R18		128/125	Q	12	80	3,970	3,640	9.0	8.5-10.0	12.2	35.1	20.0	-	-	-	Black	\$283.06	\$4.44
NEW 15929	LT	275/65R20		126/123	Q	10	80	3,750	3,415	8.0	7.5-9.5	11.0	34.3	19.0	-	-	-	Black	\$293.46	\$2.36
NEW 15932	LT	285/55R20		122/119	Q	10	80	3,305	3,000	9.0	8.0-10.0	11.7	32.6	19.0	-	-	-	Black	\$311.07	
NEW 15933	LT	295/55R20		123/120	Q	10	80	3,415	3,085	9.5	8.0-10.0	12.2	33.0	20.0	-	-	-	Black	\$291.41	
NEW * 15931	LT	295/60R20		126/123	Q	10	80	3,750	3,415	8.5	8.0-10.0	11.8	34.2	20.0	-	-	-	Black	\$320.55	\$2.36
NEW * 15930	LT	295/65R20		129/126	Q	10	80	4,080	3,750	8.5	8.0-10.0	11.8	35.4	20.0	-	-	-	Black	\$334.93	\$5.48

CONTINUED ON NEXT PAGE ...

### PERFORMANCE RATINGS

<b>BRAKING</b> 8	<b>COMFORT</b> 7	<b>FUEL EFFICIENCY</b> 6	<b>OFF-ROAD</b> 10	<b>WEAR LIFE</b> 7
---------------------	---------------------	-----------------------------	-----------------------	-----------------------

# ROADIAN MTX

... CONTINUED FROM PREVIOUS PAGE

### PATTERN CODE: RO MTX

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	F.E.T.
								S	D	Meas.	App.				Tread-wear	Trac.	Temp.			
NEW * 16271	LT	305/55R20		125/122	Q	12	80	3,640	3,305	9.5	8.5-11.0	12.4	33.5	20.0	-	-	-	Black	\$323.72	\$1.32
NEW * 15867		33X12.50R15		108	Q	6	35	2,205	-	10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	\$212.33	
NEW * 15871		35X12.50R15		113	Q	6	35	2,535	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	\$218.70	
NEW * 16261		33X12.50R17		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	\$258.16	
NEW * 16262		35X12.50R17		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	\$273.57	
NEW * 16348		37X12.50R17		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	36.8	21.0	-	-	-	Black	\$289.75	
NEW * 16263		33X12.50R18		122	Q	12	80	3,305	-	10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	\$262.57	
NEW * 16264		35X12.50R18		128	Q	12	80	3,970	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	\$291.06	\$4.44
NEW * 16265		33X12.50R20		119	Q	12	80	3,000	-	10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	\$295.38	
NEW * 16266		35X12.50R20		125	Q	12	80	3,640	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	\$325.83	\$1.32
NEW * 16267		37X12.50R20		128	Q	12	80	3,970	-	10.0	8.5-11.0	12.5	36.8	21.0	-	-	-	Black	\$338.78	\$4.44
NEW * 16401		37X13.50R20		128	Q	12	80	3,970	-	11.0	8.5-11.0	13.6	36.8	21.0	-	-	-	Black	\$377.60	\$4.44
NEW * 16270		37X13.50R22		128	Q	12	80	3,970	-	11.0	8.5-11.0	13.6	36.8	21.0	-	-	-	Black	\$401.70	\$4.44
NEW * 16269		35X12.50R22		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	\$388.94	
NEW * 16268		33X12.50R22		114	Q	12	80	2,600	-	10.0	8.5-11.0	12.5	32.8	19.0	-	-	-	Black	\$334.93	

Technical Data can be changed without further notice.  
 \* Available Mid-2018 for FDC Order.

### DUAL SIDEWALLS

Every Roadian MTX comes with two sidewall designs, so you choose how to mount it.





# ROADIAN MT

## MUD TERRAIN

The Roadian MT incorporates a zig-zag shoulder block design to provide outstanding traction for off-road and wet conditions, and a deep-groove design, which offers enhanced traction in deep mud and gravel. The shoulder-protector design maximizes load and durability, while optimized wide grooves provide excellent water drainage and anti-hydroplaning performance.



### WARRANTY

Mileage Warranty: N/A  
Road Hazard: N/A  
Roadside Assistance: 36 months

### PATTERN CODE: RO MT

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	App.				Tread-wear	Trac.	Temp.		
10667	LT	235/75R15		104/101	Q	6	50	1,985	1,820	6.5	6.0-7.0	9.3	28.9	17.0	-	-	-	White	\$121.10
12208	LT	265/75R16		123/120	Q	10	80	3,415	3,085	7.5	7.0-8.0	10.5	31.7	17.0	-	-	-	White	\$183.11
10658	LT	235/85R16		120/116	Q	10	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	17.0	-	-	-	White	\$155.88
10674		31X10.50R15		109	Q	6	50	2,270	-	8.5	7.0-9.0	10.6	30.5	18.0	-	-	-	White	\$149.86

Technical Data can be changed without further notice.

### PERFORMANCE RATINGS

<b>BRAKING</b> 8	<b>COMFORT</b> 6	<b>FUEL EFFICIENCY</b> 6	<b>OFF-ROAD</b> 10	<b>WEAR LIFE</b> 6
---------------------	---------------------	-----------------------------	-----------------------	-----------------------



# ROADIAN CT8 HL

## COMMERCIAL VAN/LT

The Roadian CT8 HL delivers heavy-duty performance for commercial vehicles, and it is the original equipment tire of Ram ProMaster.



### WARRANTY

Mileage Warranty: N/A  
Road Hazard: N/A  
Roadside Assistance: 36 months

### OE FITMENT ON



### PATTERN CODE: CT8HL

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	F.E.T.	OE
								S	D	Meas.	App.				Tread-wear	Trac.	Temp.				
15237		185/60R15C		94/92	T	6	54	1,477	1,389	5.5	5.5-6.0	7.4	23.7	13.0	-	-	-	Black	\$102.35		
15419		195/75R16C		107/105	R	8	69	2,149	2,039	5.5	5.0-6.0	7.7	27.5	13.0	-	-	-	Black	\$100.58		
15386		225/75R16C		121/120	R	10	83	3,195	3,085	6.0	6.0-7.0	8.8	29.3	13.0	-	-	-	Black	\$134.91		RAM
15241		235/65R16C		121/119	R	10	83	3,197	2,998	7.0	6.5-7.5	9.4	28.0	13.0	-	-	-	Black	\$132.07		
15409	LT	215/85R16		115/112	R	10	80	2,680	2,470	6.0	5.5-7.0	8.5	30.4	15.0	-	-	-	Black	\$127.21		
13427	LT	225/75R16		115/112	R	10	80	2,680	2,470	6.0	6.0-7.0	8.8	29.3	15.0	-	-	-	Black	\$128.51		RAM
15410	LT	235/85R16		120/116	R	10	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	15.0	-	-	-	Black	\$140.32		
15411	LT	245/75R16		120/116	S	10	80	3,042	2,778	7.0	6.5-8.0	9.8	30.5	15.0	-	-	-	Black	\$128.79		
15412	LT	265/75R16		123/120	R	10	80	3,415	3,085	7.5	7.0-8.0	10.5	31.7	15.0	-	-	-	Black	\$139.40		
15413	LT	235/80R17		120/117	R	10	80	3,085	2,835	6.5	6.0-7.5	9.3	31.8	15.0	-	-	-	Black	\$143.83		
15414	LT	245/70R17		119/116	R	10	80	3,000	2,755	7.0	6.5-8.0	9.8	30.6	15.0	-	-	-	Black	\$142.21		
15415	LT	245/75R17		121/118	S	10	80	3,195	2,910	7.0	6.5-7.5	9.8	31.5	15.0	-	-	-	Black	\$153.80		
15416	LT	265/70R17		121/118	R	10	80	3,195	2,910	8.0	7.0-8.5	10.7	31.7	15.0	-	-	-	Black	\$163.33		
15417	LT	275/65R18		123/120	S	10	80	3,415	3,085	8.0	7.5-9.0	11.0	32.1	15.0	-	-	-	Black	\$185.15		
15418	LT	275/70R18		125/122	R	10	80	3,640	3,305	8.0	7.0-8.5	11.0	33.2	15.0	-	-	-	Black	\$175.49	\$1.32	

Technical Data can be changed without further notice. For more detailed OE application information, please refer to "Original Equipment 2018" page.

### PERFORMANCE RATINGS

<b>BRAKING</b> 7	<b>COMFORT</b> 7	<b>FUEL EFFICIENCY</b> 6	<b>OFF-ROAD</b> 7	<b>WEAR LIFE</b> 8
---------------------	---------------------	-----------------------------	----------------------	-----------------------



# ROADIAN CT8

COMMERCIAL VAN/LT

Rodian CT8 maintains optimal rigidity balance by including a half-depth transverse groove in the center block. Also square-shaped dimples in the tread prevent stress, resulting in improved durability and tread life.



### WARRANTY

Mileage Warranty: N/A  
Road Hazard: N/A  
Roadside Assistance: 36 months

**PATTERN CODE: CT8**

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	App.				Tread-wear	Trac.	Temp.		
14502		185R14C		102/100	T	6	65	1,874	1,764	5.0	5.0-6.0	7.4	25.6	10.5	-	-	-	Black	\$92.53

Technical Data can be changed without further notice.

**PERFORMANCE RATINGS**

**BRAKING**  
7

**COMFORT**  
7

**FUEL EFFICIENCY**  
6

**OFF-ROAD**  
7

**WEAR LIFE**  
8



# WINGUARD Sport 2

PERFORMANCE STUDLESS WINTER

Winter driving and long mileage performance are raised to the next level with the Winguard Sport 2. Its high-density multi-sipe elevates grip for braking on icy and snowy roads, simultaneously increasing longevity. Snowy or dry traction and cornering are improved with the directional tread. Large wide grooves effectively drain water for anti-hydroplaning performance.



### WARRANTY

Mileage Warranty: N/A  
Road Hazard: N/A  
Roadside Assistance: 36 months

**PATTERN CODE: WG SPORT2**

Product Code	P/LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
NEW 15914		215/65R16		98	H	4	51	1,653	-	6.5	6.0-7.5	8.6	27.0	10.5	-	-	-	Black	TBA
NEW 15440		205/40R17	XL	84	V	4	50	1,102	-	7.5	7.0-8.0	8.3	23.5	10.5	-	-	-	Black	TBA
NEW 15447		205/45R17	XL	88	V	4	50	1,235	-	7.0	6.5-7.5	8.1	24.3	10.5	-	-	-	Black	TBA
NEW 15481		205/50R17	XL	93	V	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	10.5	-	-	-	Black	TBA
NEW 15441		215/40R17	XL	87	V	4	50	1,201	-	7.5	7.0-8.5	8.6	23.8	10.5	-	-	-	Black	TBA
NEW 15448		215/45R17	XL	91	V	4	50	1,356	-	7.0	7.0-8.0	8.4	24.6	10.5	-	-	-	Black	TBA
NEW 15482		215/50R17	XL	95	V	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	10.5	-	-	-	Black	TBA
NEW 15487		215/55R17	XL	98	V	4	50	1,653	-	7.0	6.0-7.5	8.9	26.3	10.5	-	-	-	Black	TBA
NEW 15903		215/60R17		96	H	4	51	1,565	-	6.5	6.0-7.5	8.6	27.1	10.5	-	-	-	Black	TBA
NEW 15450		225/45R17	XL	94	V	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	10.5	-	-	-	Black	TBA
NEW 15483		225/50R17	XL	98	V	4	50	1,653	-	7.0	6.0-8.0	9.2	25.9	10.5	-	-	-	Black	TBA
NEW 15488		225/55R17	XL	101	V	4	50	1,819	-	7.0	6.0-8.0	9.2	26.8	10.5	-	-	-	Black	TBA
NEW 15905		225/60R17	XL	103	H	4	50	1,929	-	6.5	6.0-8.0	8.9	27.6	10.5	-	-	-	Black	TBA
NEW 15917		225/65R17		102	H	4	51	1,874	-	6.5	6.0-8.0	8.9	28.4	10.5	-	-	-	Black	TBA
NEW 15476		235/45R17	XL	97	V	4	50	1,609	-	8.0	7.5-9.0	9.3	25.4	10.5	-	-	-	Black	TBA
NEW 15490		235/55R17	XL	103	V	4	50	1,929	-	7.5	6.5-8.5	9.6	27.2	10.5	-	-	-	Black	TBA
NEW 15908		235/60R17	XL	106	H	4	50	2,094	-	7.0	6.5-8.5	9.4	28.0	10.5	-	-	-	Black	TBA
NEW 15856		235/65R17	XL	108	V	4	50	2,205	-	7.0	6.5-8.5	9.4	29.1	10.5	-	-	-	Black	TBA
NEW 15479		245/45R17	XL	99	V	4	50	1,709	-	8.0	7.5-9.0	9.6	25.7	10.5	-	-	-	Black	TBA
NEW 15919		245/65R17		107	H	4	51	2,149	-	7.0	7.0-8.5	9.7	29.4	10.5	-	-	-	Black	TBA
NEW 16016		215/40R18	XL	89	V	4	50	1,279	-	7.5	7.0-8.5	8.6	23.8	10.5	-	-	-	Black	TBA
NEW 15442		225/40R18	XL	92	V	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	10.5	-	-	-	Black	TBA

CONTINUED ON NEXT PAGE ...

**PERFORMANCE RATINGS**

**SNOW TRACTION**  
7

**ICE TRACTION**  
6

**DRY HANDLING**  
8

**WET HANDLING**  
9

**ROLLING RESISTANCE**  
6

**COMFORT**  
6

**WINGUARD Sport 2**

... CONTINUED FROM PREVIOUS PAGE

**PATTERN CODE: WG SPORT2**

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
NEW 15475		225/45R18	XL	95	V	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	10.5	-	-	-	Black	TBA
NEW 15484		225/50R18	XL	99	H	4	50	1,709	-	7.0	6.0-8.0	9.2	26.9	10.5	-	-	-	Black	TBA
NEW 15901		225/55R18	XL	102	V	4	50	1,874	-	7.0	6.0-8.0	9.1	27.7	10.5	-	-	-	Black	TBA
NEW 15910		225/60R18	XL	104	V	4	50	1,984	-	6.5	6.0-8.0	8.9	28.5	10.5	-	-	-	Black	TBA
NEW 15443		235/40R18	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	10.5	-	-	-	Black	TBA
NEW 15477		235/45R18	XL	98	V	4	50	1,653	-	8.0	7.5-9.0	9.3	26.3	10.5	-	-	-	Black	TBA
NEW 16024		235/50R18	XL	101	V	4	50	1,819	-	7.5	6.5-8.5	9.6	27.3	10.5	-	-	-	Black	TBA
NEW 15902		235/55R18	XL	104	H	4	50	1,984	-	7.5	6.5-8.5	9.6	28.1	10.5	-	-	-	Black	TBA
NEW 15911		235/60R18	XL	107	H	4	50	2,149	-	7.0	6.5-8.5	9.4	29.0	10.5	-	-	-	Black	TBA
NEW 15445		245/40R18	XL	97	W	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	10.5	-	-	-	Black	TBA
NEW 15480		245/45R18	XL	100	V	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	10.5	-	-	-	Black	TBA
NEW 15485		245/50R18	XL	104	V	4	50	1,984	-	7.5	7.0-8.5	10.0	27.7	10.5	-	-	-	Black	TBA
NEW 16015		255/35R18	XL	94	V	4	50	1,477	-	9.0	8.5-10.0	10.2	25.0	10.5	-	-	-	Black	TBA
NEW 15446		255/40R18	XL	99	V	4	50	1,709	-	9.0	8.5-10.0	10.2	26.0	10.5	-	-	-	Black	TBA
NEW 16022		255/45R18	XL	103	V	4	50	1,929	-	8.5	8.0-9.5	10.0	27.0	10.5	-	-	-	Black	TBA
NEW 15854		255/55R18	XL	109	V	4	50	2,271	-	8.0	7.0-9.0	10.4	29.0	10.5	-	-	-	Black	TBA
NEW 15913		255/60R18	XL	112	H	4	50	2,469	-	7.5	7.0-9.0	10.2	30.0	10.5	-	-	-	Black	TBA
NEW 15438		235/35R19	XL	91	W	4	50	1,356	-	8.5	8.0-9.5	9.5	25.5	10.5	-	-	-	Black	TBA
NEW 15478		235/45R19	XL	99	V	4	50	1,709	-	8.0	7.5-9.0	9.3	27.4	10.5	-	-	-	Black	TBA
NEW 16025		235/55R19	XL	105	V	4	50	2,039	-	7.5	6.5-8.5	9.6	29.2	10.5	-	-	-	Black	TBA
NEW 16018		245/40R19	XL	98	V	4	50	1,653	-	8.5	8.0-9.5	9.8	26.7	10.5	-	-	-	Black	TBA
NEW 16023		245/45R19	XL	102	V	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	10.5	-	-	-	Black	TBA
NEW 15439		255/35R19	XL	96	V	4	50	1,565	-	9.0	8.5-10.0	10.2	26.0	10.5	-	-	-	Black	TBA
NEW 16019		255/40R19	XL	100	V	4	50	1,764	-	9.0	8.5-10.0	10.2	27.0	10.5	-	-	-	Black	TBA
NEW 15900		255/50R19	XL	107	V	4	50	2,149	-	8.0	7.0-9.0	10.4	29.0	10.5	-	-	-	Black	TBA
NEW 16020		275/40R19	XL	105	V	4	50	2,039	-	9.5	9.0-11.0	10.9	27.7	10.5	-	-	-	Black	TBA
NEW 16021		275/40R20	XL	106	W	4	50	2,094	-	9.5	9.0-11.0	10.9	28.7	10.5	-	-	-	Black	TBA

Technical Data can be changed without further notice.  
TBA — To Be Announced to selected dealers.



**WINGUARD ice Plus**  
STUDLESS NORDIC WINTER

Winguard Ice Plus has a dual V shape that enhances grip and braking. There are four grooves and two small semi grooves that drain snow, slush, and water. The Winguard Ice Plus shoulder stiffness enhances durability and its 3D block prevents abnormal wear.



**WARRANTY**

Mileage Warranty: N/A  
Road Hazard: N/A  
Roadside Assistance: 36 months

**PATTERN CODE: WG ICE PLUS**

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
NEW 16149		175/70R13			T	4	51	1,047	-	6.0	5.5-7.0	7.9	22.7	11.0	-	-	-	Black	TBA
NEW 16145		175/65R14	XL	86	T	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	11.0	-	-	-	Black	TBA
NEW 16150		175/70R14	XL	88	T	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	11.0	-	-	-	Black	TBA
NEW 16138		185/60R14	XL	86	T	4	50	1,653	-	7.0	6.0-8.0	9.2	25.9	11.0	-	-	-	Black	TBA
NEW 16146		185/65R14	XL	90	T	4	50	1,168	-	6.0	5.0-6.5	7.6	23.0	11.0	-	-	-	Black	TBA
NEW 16151		185/70R14	XL	92	T	4	50	1,279	-	6.0	5.5-7.0	7.9	23.4	11.0	-	-	-	Black	TBA
NEW 16152		195/70R14		91	T	4	51	1,356	-	6.0	5.5-7.0	7.9	24.4	11.0	-	-	-	Black	TBA
NEW 16130		185/55R15	XL	86	T	4	50	1,356	-	6.5	5.5-7.5	8.4	24.9	11.0	-	-	-	Black	TBA
NEW 16139		185/60R15	XL	88	T	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	11.0	-	-	-	Black	TBA
NEW 16147		185/65R15	XL	92	T	4	50	1,653	-	7.0	6.0-7.5	8.9	26.3	11.0	-	-	-	Black	TBA
NEW 16126		195/50R15		82	T	4	51	1,709	-	7.0	6.0-8.0	9.2	25.7	11.0	-	-	-	Black	TBA
NEW 16131		195/55R15	XL	89	T	4	50	1,819	-	7.0	6.0-8.0	9.2	26.8	11.0	-	-	-	Black	TBA
NEW 16140		195/60R15	XL	92	T	4	50	1,709	-	7.5	6.5-8.5	9.6	27.2	11.0	-	-	-	Black	TBA
NEW 16027		195/65R15	XL	95	T	4	50	1,168	-	5.5	5.0-6.5	7.4	22.8	11.0	-	-	-	Black	TBA
NEW 16148		205/65R15	XL	99	T	4	50	1,235	-	5.5	5.0-6.5	7.4	23.7	11.0	-	-	-	Black	TBA
NEW 16153		205/70R15	XL	100	T	4	50	1,389	-	6.0	5.5-7.0	7.9	24.2	11.0	-	-	-	Black	TBA
NEW 16132		195/55R16	XL	91	T	4	50	1,565	-	6.0	5.5-7.5	8.2	25.7	11.0	-	-	-	Black	TBA
NEW 16028		205/55R16		91	T	4	51	1,709	-	6.5	6.0-7.5	8.7	26.1	11.0	-	-	-	Black	TBA
NEW 16141		205/60R16	XL	96	T	4	50	1,565	-	6.5	6.0-7.5	8.7	27.2	11.0	-	-	-	Black	TBA
NEW 16133		215/55R16	XL	97	T	4	50	1,984	-	7.0	6.5-8.5	9.4	27.1	11.0	-	-	-	Black	TBA
NEW 16142		215/60R16	XL	99	T	4	50	1,168	-	5.0	5.0-6.0	7.0	23.0	11.0	-	-	-	Black	TBA
NEW 16135		225/55R16	XL	99	T	4	50	1,323	-	5.5	5.0-6.5	7.4	23.5	11.0	-	-	-	Black	TBA

CONTINUED ON NEXT PAGE ...

**PERFORMANCE RATINGS**

 SNOW TRACTION 8	 ICE TRACTION 8	 DRY HANDLING 6	 WET HANDLING 6	 ROLLING RESISTANCE 6	 COMFORT 8
------------------------	-----------------------	-----------------------	-----------------------	-----------------------------	------------------

# WINGUARD ice Plus

... CONTINUED FROM PREVIOUS PAGE

## PATTERN CODE: WG ICE PLUS

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
NEW 16144		235/60R16	XL	104	T	4	50	1,389	-	5.5	5.0-6.5	7.4	24.4	11.0	-	-	-	Black	TBA
NEW 16127		205/50R17	XL	93	T	4	50	1,521	-	6.0	5.5-7.0	7.9	25.0	11.0	-	-	-	Black	TBA
NEW 16128		215/50R17	XL	95	T	4	50	1,709	-	6.0	5.5-7.5	8.2	25.5	11.0	-	-	-	Black	TBA
NEW 16134		215/55R17	XL	98	T	4	50	1,047	-	5.0	4.5-6.0	7.0	22.7	11.0	-	-	-	Black	TBA
NEW 16143		215/60R17		96	T	4	51	1,235	-	5.0	4.5-6.0	7.0	23.7	11.0	-	-	-	Black	TBA
NEW 16129		225/50R17	XL	98	T	4	50	1,389	-	5.5	4.5-6.0	7.4	24.3	11.0	-	-	-	Black	TBA
NEW 16136		225/55R17	XL	101	T	4	50	1,356	-	6.0	5.0-6.5	7.9	24.8	11.0	-	-	-	Black	TBA
NEW 16137		235/55R17		99	T	4	51	1,764	-	6.0	5.0-7.0	8.2	26.3	11.0	-	-	-	Black	TBA

Technical Data can be changed without further notice.  
TBA — To Be Announced to selected dealers.



# WINGUARD ice SUV

## STUDLESS NORDIC WINTER

Winguard Ice SUV has a dual V-shape that enhances grip and braking. There are four grooves and two small semi-grooves that drain snow, slush, and water. The Winguard Ice SUV's shoulder stiffness enhances durability and its 3D block prevents abnormal wear.



### WARRANTY

Mileage Warranty: N/A

Road Hazard: N/A

Roadside Assistance: 36 months

## PATTERN CODE: WG ICE SUV

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
13303		215/65R16		98	Q	4	51	1,653	-	6.5	6.0-7.5	8.7	27.0	11.5	-	-	-	Black	TBA
13304		215/70R16		100	Q	4	51	1,764	-	6.5	5.5-7.0	8.7	27.9	11.5	-	-	-	Black	TBA
13929		225/70R16		103	Q	4	51	1,929	-	6.5	6.0-7.5	9.0	28.4	11.5	-	-	-	Black	TBA
13944		245/70R16		107	Q	4	51	2,149	-	7.0	6.5-8.0	9.8	29.5	11.5	-	-	-	Black	TBA
13302		265/70R16		112	Q	4	51	2,469	-	8.0	7.0-9.0	10.7	30.6	11.5	-	-	-	Black	TBA
13936		225/60R17	XL	103	Q	4	50	1,929	-	6.5	6.0-8.0	9.0	27.6	11.5	-	-	-	Black	TBA
13301		225/65R17		102	Q	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	11.5	-	-	-	Black	TBA
13305		235/65R17	XL	108	Q	4	50	2,205	-	7.0	6.5-8.5	9.4	29.1	11.5	-	-	-	Black	TBA
13946		265/65R17		112	Q	4	51	2,469	-	8.0	7.5-9.5	10.7	30.6	11.5	-	-	-	Black	TBA
13930		235/55R18		100	Q	4	51	1,764	-	7.5	6.5-8.5	9.6	28.1	11.5	-	-	-	Black	TBA
13931		235/60R18		103	Q	4	51	1,929	-	7.0	6.5-8.5	9.4	29.1	11.5	-	-	-	Black	TBA
13945		265/60R18		110	Q	4	51	2,337	-	8.0	7.5-9.5	10.7	30.5	11.5	-	-	-	Black	TBA
13947		285/60R18		116	Q	4	51	2,756	-	8.5	8.0-10.0	11.5	31.5	11.5	-	-	-	Black	TBA

Technical Data can be changed without further notice.  
TBA — To Be Announced to selected dealers.

### PERFORMANCE RATINGS

 <b>SNOW TRACTION</b> 8	 <b>ICE TRACTION</b> 8	 <b>DRY HANDLING</b> 6	 <b>WET HANDLING</b> 6	 <b>ROLLING RESISTANCE</b> 6	 <b>COMFORT</b> 8
-------------------------------	------------------------------	------------------------------	------------------------------	------------------------------------	-------------------------



# WINGUARD winSPIKE

## STUDDABLE WINTER

Winguard Winspike tires are molded for installing studs that dig into snow or ice for better traction. The optimized arrangement of sipes and block rigidity maximizes handling and traction on ice in combination with the V-shaped tread pattern. Noise is addressed by the calculated placement of 12 multi-random stud lines.



### WARRANTY

Mileage Warranty: N/A

Road Hazard: N/A

Roadside Assistance: 36 months

### PATTERN CODE: WG WINSPIKE

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
11828		175/70R13		82	T	4	44	1,047	-	5.0	4.5-6.0	7.0	22.7	12.0	-	-	-	Black	TBA
11814		175/65R14	XL	86	T	4	50	1,168	-	5.0	5.0-6.0	7.0	23.0	12.0	-	-	-	Black	TBA
11831		175/70R14		84	T	4	44	1,102	-	5.0	4.5-6.0	7.0	23.7	12.0	-	-	-	Black	TBA
11817		185/60R14		82	T	4	44	1,047	-	5.5	5.0-6.5	7.4	22.8	12.0	-	-	-	Black	TBA
11813		185/65R14	XL	90	T	4	50	1,323	-	5.5	5.0-6.5	7.4	23.5	12.0	-	-	-	Black	TBA
11830		185/70R14	XL	92	T	4	50	1,389	-	5.5	4.5-6.0	7.4	24.3	12.0	-	-	-	Black	TBA
13005		195/70R14		91	T	4	44	1,356	-	6.0	5.0-6.5	7.9	24.8	12.0	-	-	-	Black	TBA
12270		185/55R15	XL	86	T	4	50	1,168	-	6.0	5.0-6.5	7.6	23.0	12.0	-	-	-	Black	TBA
12271		185/60R15	XL	88	T	4	50	1,235	-	5.5	5.0-6.5	7.4	23.7	12.0	-	-	-	Black	TBA
11812		185/65R15	XL	92	T	4	50	1,389	-	5.5	5.0-6.5	7.4	24.4	12.0	-	-	-	Black	TBA
11823		195/50R15		82	T	4	44	1,047	-	6.0	5.5-7.0	7.9	22.7	12.0	-	-	-	Black	TBA
11822		195/55R15	XL	89	T	4	50	1,279	-	6.0	5.5-7.0	7.9	23.4	12.0	-	-	-	Black	TBA
11819		195/60R15	XL	92	T	4	50	1,389	-	6.0	5.5-7.0	7.9	24.2	12.0	-	-	-	Black	TBA
11811		195/65R15	XL	95	T	4	50	1,521	-	6.0	5.5-7.0	7.9	25.0	12.0	-	-	-	Black	TBA
11816		205/65R15	XL	99	T	4	50	1,709	-	6.0	5.5-7.5	8.2	25.5	12.0	-	-	-	Black	TBA
12273		205/70R15		96	T	4	44	1,565	-	6.0	5.0-7.0	8.2	26.3	12.0	-	-	-	Black	TBA
13007		215/70R15		98	T	4	44	1,653	-	6.5	5.5-7.0	8.7	26.9	12.0	-	-	-	Black	TBA
14053		235/75R15		105	T	4	44	2,039	-	6.5	6.0-8.0	9.3	28.9	12.5	-	-	-	Black	TBA
15062		195/55R16		87	T	4	44	1,201	-	6.0	5.5-7.0	7.9	24.4	12.0	-	-	-	Black	TBA
12102		195/60R16		89	T	4	44	1,279	-	6.0	5.5-7.0	7.9	25.2	12.0	-	-	-	Black	TBA
11821		205/55R16	XL	94	T	4	50	1,477	-	6.5	5.5-7.5	8.4	24.9	12.0	-	-	-	Black	TBA
11818		205/60R16		92	T	4	44	1,389	-	6.0	5.5-7.5	8.2	25.7	12.0	-	-	-	Black	TBA
11824		215/55R16	XL	97	T	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	12.0	-	-	-	Black	TBA
11815		215/60R16	XL	99	T	4	50	1,709	-	6.5	6.0-7.5	8.7	26.1	12.0	-	-	-	Black	TBA
11833		215/65R16	XL	102	T	4	50	1,874	-	6.5	6.0-7.5	8.7	27.0	12.0	-	-	-	Black	TBA

CONTINUED ON NEXT PAGE ...

### PERFORMANCE RATINGS

SNOW TRACTION 8	ICE TRACTION 8	DRY HANDLING 7	WET HANDLING 7	ROLLING RESISTANCE 6	COMFORT 6
--------------------	-------------------	-------------------	-------------------	-------------------------	--------------

# WINGUARD winSPIKE

... CONTINUED FROM PREVIOUS PAGE

### PATTERN CODE: WG WINSPIKE

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
12786		215/70R16		100	T	4	44	1,764	-	6.5	5.5-7.0	8.7	27.9	12.5	-	-	-	Black	TBA
11832		225/60R16	XL	102	T	4	50	1,874	-	6.5	6.0-8.0	9.0	26.6	12.0	-	-	-	Black	TBA
12787		225/70R16	XL	107	T	4	50	2,149	-	6.5	6.0-7.5	9.0	28.4	12.5	-	-	-	Black	TBA
12762		235/60R16		100	T	4	44	1,764	-	7.0	6.5-8.5	9.4	27.1	12.5	-	-	-	Black	TBA
12788		235/70R16		106	T	4	44	2,094	-	7.0	6.0-8.0	9.4	29.0	12.5	-	-	-	Black	TBA
12789		245/70R16		107	T	4	44	2,149	-	7.0	6.5-8.0	9.8	29.5	12.5	-	-	-	Black	TBA
12794		245/75R16		111	T	4	44	2,403	-	7.0	6.5-8.0	9.8	30.5	12.5	-	-	-	Black	TBA
12791		265/70R16		112	T	4	44	2,469	-	8.0	7.0-9.0	10.7	30.6	12.5	-	-	-	Black	TBA
12795		265/75R16		116	T	4	44	2,756	-	7.5	7.0-9.0	10.5	31.7	12.5	-	-	-	Black	TBA
13006		215/50R17	XL	95	T	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	12.0	-	-	-	Black	TBA
11834		215/55R17	XL	98	T	4	50	1,653	-	7.0	6.0-7.5	8.9	26.3	12.0	-	-	-	Black	TBA
12272		215/60R17	XL	100	T	4	50	1,764	-	6.5	6.0-7.5	8.7	27.2	12.0	-	-	-	Black	TBA
14055		225/45R17		91	T	4	44	1,356	-	7.5	7.0-8.5	8.9	25.0	12.0	-	-	-	Black	TBA
12269		225/50R17	XL	98	T	4	50	1,653	-	7.0	6.0-8.0	9.2	25.9	12.0	-	-	-	Black	TBA
13008		225/55R17	XL	101	T	4	50	1,819	-	7.0	6.0-8.0	9.2	26.8	12.0	-	-	-	Black	TBA
12755		225/60R17		99	T	4	44	1,709	-	6.5	6.0-8.0	9.0	27.6	12.5	-	-	-	Black	TBA
12528		225/65R17	XL	106	T	4	50	2,094	-	6.5	6.0-8.0	9.0	28.5	12.5	-	-	-	Black	TBA
13009		235/55R17	XL	103	T	4	50	1,929	-	7.5	6.5-8.5	9.6	27.2	12.0	-	-	-	Black	TBA
12527		235/65R17	XL	108	T	4	50	2,205	-	7.0	6.5-8.5	9.4	29.1	12.5	-	-	-	Black	TBA
12773		245/65R17		107	T	4	44	2,149	-	7.0	7.0-8.5	9.8	29.5	12.5	-	-	-	Black	TBA
12790		245/70R17		110	T	4	44	2,337	-	7.0	6.5-8.0	9.8	30.6	12.5	-	-	-	Black	TBA
12530		265/65R17	XL	116	T	4	50	2,756	-	8.0	7.5-9.5	10.7	30.6	12.5	-	-	-	Black	TBA
12792		265/70R17		115	T	4	44	2,679	-	8.0	7.0-9.0	10.7	31.7	12.5	-	-	-	Black	TBA
12745		225/55R18		98	T	4	44	1,653	-	7.0	6.0-8.0	9.2	27.8	12.5	-	-	-	Black	TBA
12761		225/60R18		100	T	4	44	1,764	-	6.5	6.0-8.0	9.0	28.6	12.5	-	-	-	Black	TBA
12751		235/55R18		100	T	4	44	1,764	-	7.5	6.5-8.5	9.6	28.1	12.5	-	-	-	Black	TBA
12531		235/60R18	XL	107	T	4	50	2,149	-	7.0	6.5-8.5	9.4	29.1	12.5	-	-	-	Black	TBA
14051		245/60R18		105	T	4	44	2,039	-	7.0	7.0-8.5	9.8	29.6	12.5	-	-	-	Black	TBA
12754		255/55R18	XL	109	T	4	50	2,271	-	8.0	7.0-9.0	10.4	29.0	12.5	-	-	-	Black	TBA
12766		255/60R18	XL	112	T	4	50	2,469	-	7.5	7.0-9.0	10.2	30.0	12.5	-	-	-	Black	TBA
12529		265/60R18	XL	114	T	4	50	2,601	-	8.0	7.5-9.5	10.7	30.5	12.5	-	-	-	Black	TBA
12805	LT	235/75R15		110/107	Q	8	65	2,335	2,150	6.5	6.0-7.0	9.3	28.9	16.0	-	-	-	Black	TBA
14047	LT	215/85R16		115/112	Q	10	80	2,680	2,470	6.0	5.5-7.0	8.5	30.4	16.0	-	-	-	Black	TBA
12804	LT	225/75R16		115/112	Q	10	80	2,680	2,470	6.0	6.0-7.0	8.8	29.3	16.0	-	-	-	Black	TBA
12808	LT	235/85R16		120/116	Q	10	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	16.0	-	-	-	Black	TBA
12806	LT	245/75R16		120/116	Q	10	80	3,042	2,778	7.0	6.5-8.0	9.8	30.5	16.0	-	-	-	Black	TBA
12807	LT	265/75R16		123/120	Q	10	80	3,415	3,085	7.5	7.0-8.0	10.5	31.7	16.0	-	-	-	Black	TBA
14044	LT	225/75R17		116/113	Q	10	80	2,755	2,535	6.0	6.0-7.5	8.8	30.3	16.0	-	-	-	Black	TBA
14046	LT	235/80R17		120/117	Q	10	80	3,085	2,835	6.5	6.0-7.5	9.3	31.8	16.0	-	-	-	Black	TBA
12802	LT	245/70R17		119/116	Q	10	80	3,000	2,755	7.0	6.5-8.0	9.8	30.6	16.0	-	-	-	Black	TBA
14045	LT	245/75R17		121/118	Q	10	80	3,195	2,910	7.0	6.5-7.5	9.8	31.5	16.0	-	-	-	Black	TBA
14039	LT	265/65R17		120/117	Q	10	80	3,087	2,833	8.0	7.5-9.5	10.7	30.6	16.0	-	-	-	Black	TBA
12803	LT	265/70R17		121/118	Q	10	80	3,195	2,910	8.0	7.0-8.5	10.7	31.7	16.0	-	-	-	Black	TBA
14048		31X10.50R15		109	Q	6	50	2,270	-	8.5	7.0-9.0	10.6	30.5	16.0	-	-	-	Black	TBA
14040		195/70R15C		104/102	R	8	65	1,984	1,874	6.0	5.0-6.0	7.9	25.8	12.5	-	-	-	Black	TBA





# EUROWIN

## STUDLESS WINTER

The EuroWin is Nexen's Light Truck/SUV Studless Ice & Snow tire developed for the Nissan NV200 and Chevy City Express to transport heavy loads.

**PATTERN CODE: EUROWIN**

Product Code	P/ LT	Size	XL	LI	SS	PLY	Max Air (psi)	Max Load (lbs)		Rim		Sections Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Meas.	Approved				Tread-wear	Trac.	Temp.		
10873		185/60R15C		94/92	T	6	54	1,477	1,389	5.5	5.5-6.0	7.4	23.7	10.5	-	-	-	Black	TBA

Technical Data can be changed without further notice.  
TBA — To Be Announced to selected dealers.

## Original Equipment 2018

Brand	Model	Model Year	Product	Product Code	Size	LI/SS	UTQG Wear	Price	F.E.T.
	200	2014	CP671	13345	225/55R17	97 V	400 A A	\$117.47	
	All New 200	2015-2017	CP671	12909	215/55R17	94 H	400 A A	\$105.77	
		2015-2017	CP671	12910	235/45R18	94 H	400 A A	\$130.14	
		2015-2017	CP671	12911	235/40R19	96 H	400 A A	\$150.43	
	Pacifica	2017-2018	N'PRIZ RH7@	14376	235/60R18	103 H	680 A A	\$125.42	
	500L	2014-2018	CP671	12525	205/55R16	91 H	400 A A	\$101.08	
		2014-2018	CP671	12526	225/45R17	91 V	400 A A	\$107.10	
	500X	2016-2018	CP671	13536	215/55R17	94 V	400 A A	\$105.77	
		2016-2018	CP671	13535	215/60R17	96 T	400 A A	\$102.59	
	Elantra	2017-2018	N'PRIZ AH8	14386	195/65R15	91 T	500 A A	\$80.57	
		2013-2017	CP671 H	12540	P 205/55R16	89 H	400 A A	\$101.08	
		2017-2018	N'PRIZ AH8	14194	205/55R16	91 H	560 A A	\$96.32	
		2012-2017	CP671 H	12842	P 215/45R17	87 H	400 A A	\$98.48	
		2017-2018	N'PRIZ AH8	14198	225/45R17	91 W	500 A A	\$105.06	
	Kona	2018	N'PRIZ AH8	15605	205/60R16	92 H	500 A A	\$106.24	
		2018	N'PRIZ AH8	15606	215/55R17	94 V	500 A A	\$114.55	
	Veloster	2012-2017	CP671 H	12842	P 215/45R17	87 H	400 A A	\$98.48	
		2018	N'PRIZ AH8	14749	215/45R17	87 H	500 A A	\$105.99	
		2018	N'PRIZ AH8	14708	225/40R18	88 W	500 A A	\$122.83	
	Forte	2014-2017	CP671	12841	P 195/65R15	89 T	440 A A	\$79.18	
		2017-2018	N'PRIZ AH8	13466	195/65R15	91 T	500 A A	\$80.57	
		2014-2016	CP671 H	12540	P 205/55R16	89 H	400 A A	\$101.08	
		2017-2018	N'PRIZ AH8	14194	205/55R16	91 H	560 A A	\$96.32	
		2014-2017	CP671 H	12842	P 215/45R17	87 H	400 A A	\$98.48	
		2014-2018	CP671	13260	P 225/40R18	88 V	400 A A	\$120.27	
	Optima	2011-2014	CP671	11449	P 205/65R16	94 H	400 A A	\$99.05	
		2016-2018	N'PRIZ AH8	13904	205/65R16	95 H	440 A A	\$99.05	
		2011-2015	CP671	12259	P 215/55R17	93 V	400 A A	\$105.77	
	Sorento	2013-2015	CP662	12261	225/45R18	95 V	440 A A	\$123.97	
		2015-2018	N'PRIZ RH7	13423	235/60R18	103 H	440 A A	\$125.42	
	Soul	2010-2013	CP662	11073	P 195/65R15	89 S	440 A A	\$75.39	
		2011-2013	CP662	11074	P 205/55R16	89 H	440 A A	\$94.16	
		2014-2018	CP671	13333	205/60R16	92 H	400 A A	\$100.66	
		2014-2018	CP671 H	13320	215/55R17	94 V	400 A A	\$105.77	
		2014-2018	CP671 H	13321	235/45R18	94 V	400 A A	\$130.16	
	Soul EV	2015-2017	N'BLUE EV	15705	205/60R16	92 H	400 A A	\$102.58	
	Sportage	2011-2013	CP671	11462	215/70R16	100 H	460 A A	\$120.32	
		2017-2018	N'PRIZ RH7	14179	225/55R18	98 H	540 A A	\$142.13	
	Outlander	2014-2018	N'PRIZ RH7	12817	P 225/55R18	97 H	440 A A	\$136.41	
	1500	2018	ROADIAN HTX RH5	15278	275/55R20	113 T	640 A A	\$170.14	
	2500	2017-2018	ROADIAN AT PRO RA8	14760	LT 275/70R18	125/122 R	---	\$195.95	\$1.32
		2014-2018	ROADIAN HTX RH5	13353	LT 235/80R17	120/117 R	---	\$163.58	
	3500	2014-2018	ROADIAN AT PRO RA8	13354	LT 235/80R17	120/117 R	---	\$165.95	
		2017-2018	ROADIAN AT PRO RA8	14760	LT 275/70R18	125/122 R	---	\$195.95	\$1.32
	ProMaster	2015-2018	ROADIAN CT8 HL	13427	LT 225/75R16	115/112 R	---	\$128.51	
		2017-2018	ROADIAN CT8 HL	15386	225/75R16C	121/120 R	---	\$134.91	
ProMaster City	2017-2018	N'PRIZ AH8	14369	215/55R16	97 H	440 A A	\$98.21		
	Jetta	2018	N'PRIZ AH8	* 15529	205/60R16	92 H	TBD	\$116.24	
		2018	N'PRIZ AH8	* 15530	205/55R17	91 H	TBD	\$134.00	

\* Available 3Q, 2018

# NEXEN TOTAL COVERAGE WARRANTY

## 1. ABOUT NEXEN TOTAL COVERAGE WARRANTY

This limited warranty only applies to the original purchaser of new replacement tires sold by NEXEN TIRE USA (as below NEXEN TIRE), and has been used on the same vehicle that it was originally installed on.

This warranty applies to tires purchased after January 1, 2018. Tires purchased before January 1, 2018 are subject to the previous published warranty.

The Nexen Total Coverage Warranty offers the consumer the following benefits:

- Coverage for Defects in Workmanship and Materials
- Mileage Tread Wear Limited Warranty\*
- Road Hazard Replacement Program\*
- Roadside Assistance - Flat Tire Change or Tow Service
- 45-day Satisfaction Guarantee Trial Warranty

\*Most, but not all Nexen Tire patterns come with a Mileage Tread Wear Warranty and/or Road Hazard Replacement. Check each pattern for coverage.

For purposes of this warranty, the term "usable tread life" will be determined as having at least 2/32" (1.6mm) of tread remaining evenly across the tire. If less than 2/32" (1.6mm) of tread remains at any point on the face of the tire, the tire will be considered past its usable tread life and subject to any and all conditions stated below.

## 2. WORKMANSHIP AND MATERIALS

All NEXEN tires are warranted against defects in workmanship and material and will be replaced 100% free of charge for the initial warranty period, which is the first 2/32" (1.6mm) of original usable tread life, or within 12 months from the period of purchase, whichever comes first.

After the 100% replacement term expires and the tire is still within 72 months from date of manufacture, the amount of credit will be determined by the percentage of original tread depth remaining on the tire. Under all circumstances, the cost of mounting, balancing and any other service charges, including applicable taxes, are required to be paid by the consumer.

## 3. MILEAGE TREAD WEAR LIMITED WARRANTY

Designated patterns manufactured by NEXEN TIRE are assigned a mileage warranty that protects the consumer against premature tread wear. If a tire reaches the end of its "usable tread life" before the stated mileage warranty, the consumer will be issued a replacement Nexen tire on a pro-rated basis, which means the consumer will be responsible for a percentage of the replacement cost. In order to maintain tread wear warranty, all tires must be rotated at least every 5,000 - 6,000 miles (8,000 - 10,000 km). Under all circumstances, the cost of mounting, balancing and any other service charges including applicable taxes are required to be paid by the consumer.

## 4. WHAT IS NOT COVERED UNDER THIS LIMITED WARRANTY

This warranty does not cover tires damaged due to misuse, abuse or accident such as:

- Ride complaints after the first 2/32" of tread wear or replacement of three (3) or more tires from the same vehicle will not be accepted.
- Road hazard damage such as cuts, snags, punctures or tire repair, bruises, impact breaks, etc. (Check Road Hazard Replacement Program for patterns that are covered against this type of damage.)
- Premature or irregular wear (a measured tread difference of 2/32" (1.6mm) or more across the tread on the same tire) due to vehicle mechanical deficiencies or failure to rotate the tires at recommended intervals.
- Tires on any vehicle registered and normally operated outside the United States.
- Damage from incorrect mounting or dismounting of the tire, incorrect application, water or other material trapped inside the tire during mounting or failure to balance the tires.
- Damage from over/under inflation, overload, or defective vehicle mechanical conditions.
- Tires with a lower load index and/or speed rating than that of the OE tire.
- Racing, off-road use and misapplication of tire to vehicle.
- Ozone or weather cracking on tires after 48 months from the date of manufacture.
- Minor cosmetic ozone or weather cracking.
- Any tires worn beyond the wear indicators. (less than 2/32" remaining tread depth.)
- Flat spotting caused by improper storage or brake lock.
- Accident, fire, chemical corrosion, tire alteration, wilfull abuse, or vandalism.
- Tires in which D.O.T. identification number and/or brand name removed intentionally.
- Loss of time or use, inconvenience or any incidental or consequential damage.
- Original equipment tires on new vehicle. (See separate warranty, if applicable, in your vehicle's glove box.)
- Tires purchased as used.
- Tires that have been recapped, retreaded or regrooved.
- Use of tire chains.
- Tires used on recreational vehicles (for camping and motor homes, etc.) or in commercial service (i.e., tires used for taxi service, delivery, ride sharing vehicles, etc.).
- Tires stored improperly.

## 5. OTHER LIMITATIONS INCLUDE BUT ARE NOT LIMITED TO THE FOLLOWING:

- Failure to rotate tires as recommended voids the tread wear warranty.
- If tires are different sizes on front and rear of vehicle, and therefore can't be rotated, the mileage warranty for the rear tires will be half of the stated mileage warranty.

# NEXEN TOTAL COVERAGE WARRANTY

- Winter tires must be used only in winter months, which are determined to be September 1st through April 30th of the following year. Documentation is required showing date of installation and removal to maintain tread wear warranty.

## 6. ROAD HAZARD REPLACEMENT PROGRAM

Most patterns sold by NEXEN TIRE are covered by a road hazard warranty that protects the consumer against non-repairable damage caused by puncture, snag, cut, bruise or impact break. Typical road hazards are nails, glass, potholes and other debris. Covered tires will be eligible for a free replacement for the first 2/32" of original tread depth, or for a period of one year from the date of purchase; whichever comes first. If the DOT # on the tire is greater than one year from the adjustment date, an invoice showing date of purchase is necessary. The cost of mounting, balancing and any other service charges including applicable taxes are required to be paid by the consumer.

## 7. WHAT IS NOT COVERED UNDER ROAD HAZARD REPLACEMENT PROGRAM

- A tire that is damaged due to vandalism.
- A tire that is damaged due to an accident.
- A tire that is repairable under Rubber Manufacturers Association (RMA) standards.
- A tire that has failed due to commercial use.
- A tire that is damaged or failed due to racing or off-road use.
- A tire that is damaged due to use of snow chains or studs.
- A tire that is damaged or failed due to irregular wear caused by mechanical issues.
- Original equipment tires on new vehicle.
- Tires transferred from the vehicle that they were originally installed.

## 8. 45-DAY SATISFACTION GUARANTEE TRIAL WARRANTY

NEXEN Tire's 45-day Satisfaction Guarantee Trial Warranty covers a complete set of four (4) N'Fera AU7 tires. If you're not completely satisfied for any reason, other than the conditions that are listed in the "WHAT IS NOT COVERED" section with your eligible tires, simply return them with the proof of purchase to the dealer where they were purchased within 45 days or 500 miles, whichever comes first, for a new set of Nexen brand replacement only.

### Limitations and Requirements

- This trial warranty only applies to the original purchaser and is non-transferable.
- Any return of less than a full set of tires will not be accepted.
- Proof of purchase must be provided for both the original set and replacement set.

- Tires must be returned undamaged. Tires exhibiting misuse, road hazard, mounding damage, vehicle mechanical-related problems, repairs, improper inflation, vandalism, run flat and/or any racing activity wear are excluded from this trial warranty.
- Original purchaser pays the amount due on a new replacement tire, less the amount of credit, including applicable taxes, mounting and balancing charges and/or the cost of other services ordered.
- Replacement tire must be installed on original purchase vehicle.
- Replacement must be done at original place of purchase.
- Only original purchase is covered by 45-day Satisfaction Guarantee Trial Warranty.
- Replacement set is not covered by 45-day Satisfaction Guarantee Trial Warranty.
- Tires measuring more than 1/32" of tread wear from original tread depth are excluded from trial warranty.

## 9. CONSUMER'S OBLIGATION WHEN FILING CLAIM

To maintain Mileage Tread Wear Warranty and Road Hazard Replacement Program, the consumer is responsible for the following:

- Any claims must be presented to a participating authorized Nexen Tire dealer.
- Submit or present a copy of the original purchase receipt with documented automobile mileage at time of tire installation and of tire dismounting.
- Submit a tire rotation record showing that all tires have been rotated at least every 5,000 - 6,000 miles (8,000 - 10,000 km). Tire rotation record is not necessary for Road Hazard claims when tire is within 2/32" difference of remaining tread depth as measured from shoulder to shoulder on the claim tire, and compared to the remaining tread depth of the opposite front/rear or left/right tire.
- NEXEN TIRE Claim Adjustment form provided by the dealer. Keep a copy for your records and leave the tire with the dealer for warranty processing.

**TOTAL**  
**COVERAGE**  
**WARRANTY**  
NEXEN TIRE

